

**MSDS** Material Safety Data Sheet

From: Avantor Performance Materials, Inc.  
 Saucon Valley Plaza  
 3477 Corporate Parkway  
 Suite #200  
 Center Valley, PA 18034



24 Hour Emergency Telephone: 908-859-2151  
 CHEMTREC: 1-800-424-9300

National Response in Canada  
 CANUTEC: 613-996-6666

Outside U.S. and Canada  
 Chemtrec: 703-527-3887

**NOTE:** CHEMTREC, CANUTEC and National Response Center emergency numbers to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals.

All non-emergency questions should be directed to Customer Service, 1-855-AVANTOR (855-282-6867) for assistance.

**AMMONIUM PERSULFATE****1. Product Identification**

Synonyms: Ammonium Peroxydisulfate; Peroxydisulfuric Acid, Diammonium Salt; Diammonium peroxydisulfate  
 CAS No: 7727-54-0  
 Molecular Weight: 228.20  
 Chemical Formula:  $(\text{NH}_4)_2\text{S}_2\text{O}_8$   
 Product Codes: J.T. Baker:  
 0762, 4030  
 Macron:  
 3456, 3460, 7726

**2. Composition/Information on Ingredients**

Ingredient	CAS No.	Percent	Hazardous
Ammonium Persulfate	7727-54-0	98 - 100%	Yes

**3. Hazards Identification****Emergency Overview**

**DANGER!** STRONG OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE. HARMFUL IF SWALLOWED OR INHALED. MAY CAUSE BURNS TO SKIN AND EYES. MAY CAUSE ALLERGIC SKIN OR RESPIRATORY REACTION.

**SAF-T-DATA™ Ratings**

(Provided here for your convenience)

Health:	Flammability:	Reactivity:	Contact:
2 - Moderate (Life)	0 - None	3 - Severe (Oxidizer)	3 - Severe (Life)
Lab Protection Equip:	GOGGLES & SHIELD; LAB COAT & APRON; VENT HOOD; PROPER GLOVES		
Storage Color Code:	Yellow (Reactive)		

**Potential Health Effects**

**Inhalation:**

May irritate the mucous membranes. May cause lung edema. Symptoms may include sore throat, shortness of breath, inflammation of nasal passages, coughing, and wheezing. Any exposure may cause an allergic reaction. Asthma-like symptoms and life-threatening shock may result.

**Ingestion:**

Corrosive. May produce abdominal pain, nausea and vomiting.

**Skin Contact:**

Corrosive. May cause skin burns.

**Eye Contact:**

May cause severe irritation and pain.

**Chronic Exposure:**

Prolonged skin contact may cause an allergic reaction with dermatitis.

**Aggravation of Pre-existing Conditions:**

Persons with impaired respiratory function may be more susceptible to the effects of the substance.

---

## 4. First Aid Measures

**Inhalation:**

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**Ingestion:**

If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.

**Skin Contact:**

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean shoes before reuse.

**Eye Contact:**

Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

---

## 5. Fire Fighting Measures

**Fire:**

Not combustible, but substance is a strong oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Heating or contact with water releases oxygen which may intensify combustion in an existing fire.

**Explosion:**

An explosion hazard when mixed with finely powdered organic matter, metal powder, or reducing agents.

**Fire Extinguishing Media:**

Use any means suitable for extinguishing surrounding fire. Do not use water.

**Special Information:**

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode. Sealed containers may rupture when heated.

---

## 6. Accidental Release Measures

Remove all sources of ignition. Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Spills: Clean up spills in a manner that does not disperse dust into the air. Use non-sparking tools and equipment. Reduce airborne dust and prevent scattering by moistening with water. Pick up spill for recovery or disposal and place in a closed container.

---

## 7. Handling and Storage

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. Isolate from incompatible substances. Separate from combustibles, organic or other readily oxidizable materials. Avoid storage on wood floors. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

## 8. Exposure Controls/Personal Protection

### Airborne Exposure Limits:

- ACGIH Threshold Limit Value (TLV):  
0.1 mg/m $\mu$  (TWA) as persulfate

### Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, "Industrial Ventilation, A Manual of Recommended Practices", most recent edition, for details.

### Personal Respirator (NIOSH Approved)

For conditions of use where exposure to dust or mist is apparent and engineering controls are not feasible, a particulate respirator (NIOSH type N95 or better filters) may be worn. If oil particles (e.g. lubricants, cutting fluids, glycerine, etc.) are present, use a NIOSH type R or P filter. For emergencies or instances where the exposure levels are not known, use a full-face positive-pressure, air-supplied respirator. **WARNING:** Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

### Skin Protection:

Wear protective gloves and clean body-covering clothing.

### Eye Protection:

Use chemical safety goggles. Maintain eye wash fountain and quick-drench facilities in work area.

## 9. Physical and Chemical Properties

### Appearance:

White crystals.

### Odor:

Odorless.

### Solubility:

80 g/100 ml water @ 25°C (77°F)

### Specific Gravity:

1.98 @ 20°C/4°C

### pH:

No information found.

% Volatiles by volume @ 21°C (70°F):

0

### Boiling Point:

Not applicable.

### Melting Point:

120°C (248°F) Decomposes.

### Vapor Density (Air=1):

No information found.

### Vapor Pressure (mm Hg):

No information found.

### Evaporation Rate (BuAc=1):

No information found.

## 10. Stability and Reactivity

### Stability:

Stable under ordinary conditions of use and storage. Stability decreases in the presence of moisture.

### Hazardous Decomposition Products:

Decomposed by moisture to form oxygen and ozone. Burning may produce nitrogen oxides, sulfur oxides, and sulfuric acid.

### Hazardous Polymerization:

Will not occur.

### Incompatibilities:

Reducing agents, organic material, sodium peroxide, water and powdered metals especially aluminum.

**Conditions to Avoid:**

Moisture, combustible materials and incompatibles.

**11. Toxicological Information**

Oral rat LD50: 689 mg/kg

**Cancer Lists**

Ingredient	---NTP Carcinogen---			IARC Category
	Known	Anticipated		
Ammonium Persulfate (7727-54-0)	No	No		None

**12. Ecological Information****Environmental Fate:**

No information found.

**Environmental Toxicity:**

No information found.

**13. Disposal Considerations**

Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations.

Dispose of container and unused contents in accordance with federal, state and local requirements.

**14. Transport Information****Domestic (Land, D.O.T.)**

Proper Shipping Name: AMMONIUM PERSULFATE  
 Hazard Class: 5.1  
 UN/NA: UN1444 Packing Group: III  
 Information reported for product/size: 12KG

**International (Water, I.M.O.)**

Proper Shipping Name: AMMONIUM PERSULPHATE  
 Hazard Class: 5.1  
 UN/NA: UN1444 Packing Group: III  
 Information reported for product/size: 12KG

**15. Regulatory Information****Chemical Inventory Status**

Ingredient	TSCA	EC	Japan	Australia	Korea	---Canada---		
						DSL	NDSL	Phil.
Ammonium Persulfate (7727-54-0)	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes

**Federal, State & International Regulations**

Ingredient	---SARA 302---		-----SARA 313-----		---RCRA---	-TSCA-
	RQ	TPQ	List	Chemical Catg.	CERCLA 261.33	8(d)
Ammonium Persulfate (7727-54-0)	No	No	No	No	No	No

Chemical Weapons Convention: No TSCA 12(b): No CDTA: No

SARA 311/312: Acute: Yes Chronic: Yes Fire: Yes Pressure: No Reactivity: No (Pure / Solid)

Australian Hazchem Code: 2P Australian Poison Schedule: None allocated.

WHMIS: This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

16. Other Information

NFPA Ratings:

Health: 2 Flammability: 0 Reactivity: 1 Other: Oxidizer

Label Hazard Warning:

DANGER! STRONG OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE. HARMFUL IF SWALLOWED OR INHALED. MAY CAUSE BURNS TO SKIN AND EYES. MAY CAUSE ALLERGIC SKIN OR RESPIRATORY REACTION.

Label Precautions:

- Keep from contact with clothing and other combustible materials.
- Do not get in eyes, on skin, or on clothing.
- Do not breathe dust.
- Store in a tightly closed container.
- Use with adequate ventilation.
- Wash thoroughly after handling.

Label First Aid:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. Never give anything by mouth to an unconscious person. In all cases get medical attention immediately.

Product Use:

Laboratory Reagent.

Disclaimer:

\*\*\*\*\*

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION, WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, AVANTOR PERFORMANCE MATERIALS ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE MATERIALS REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES.

\*\*\*\*\*

Prepared by: Environmental Health & Safety