

HAMMILL & GILLESPIE, INC.

154 South Livingston Ave., P.O. Box 104, Livingston, NJ 07039

Voice: 973-994-3650

Fax: 973-994-3847

E-mail: hamgilinc@aol.com

Website: www.hamgil.com

MATERIAL SAFETY DATA SHEET

To comply with OSHA's 29 CFR 1910.1200 and Bill No. 70 WHMIS Hazard Communications Standards.

SECTION I. Identity of Product and Producer

Date Prepared: October 8, 1999

Reviewed: January 2, 2002

Trade Name: Blackbird, Barnard

Chemical Name: BALL CLAY, Hydrous Aluminum Silicate

CAS NUMBER 1332-58-7

PRODUCERS NAME AND ADDRESS

Hammill & Gillespie, Inc.
P. O. Box 104
Livingston, NJ 07039

TELEPHONE NUMBERS

973-994-3650
973-994-3847 FAX

EMERGENCY CONTACT

CHEMTREC: 800-424-9300*

*To be used only in the event of chemical emergencies involving a spill, leak, fire exposure, or accident involving chemicals.

SECTION II. Hazardous Ingredients

Free Silica (Quartz)*
Titanium DioxideTypically 10-30%
Typically less than 2.6%CAS No. 14808-60-7
CAS No. 13463-67-7

*Ball clays contain crystalline silica, as quartz, up to 30% by dry weight. Some of this silica is not fine enough to normally be considered respirable.

SECTION III. Physical Data

Fusion Range:	1569-1785°C.	Specific Gravity:	2.4 - 2.65
Solubility in Water:	Negligible	Percent Volatile:	Below 100°C. None
Vapor Pressure:	Not Applicable	pH:	3.5-7.5
Odor and Appearance:	Earthy odor when wet, raw color light gray to brown		

SECTION IV. Fire and Explosion Data: Non-flammable

SECTION V. Health Hazard Data

OSHA PEL: Respirable Crystalline Quartz (TWA-TLV) = 0.1mg/m³ACGIH: Respirable Crystalline Quartz (TWA-TLV) = 0.1 mg/m³Cristobalite & Tridymite (see stability) (TWA-TLV) = 0.05mg/m³NIOSH TWA: Respirable Crystalline Quartz = 0.05 mg/m³

ROUTE OF ENTRY: Inhalation

HEALTH HAZARDS: WARNING: This clay product contains crystalline silica which may cause delayed respiratory disease (silicosis) if inhaled over a prolonged period of time. Avoid breathing dust. Use NIOSH/MSHA approved respirator where TLV for crystalline silica may be exceeded.

IARC MONOGRAPH VOLUME 68, 1997 concludes that there is sufficient evidence that inhaled crystalline silica causes cancer in humans. IARC classification: Group I.

The NTP, in the Sixth Annual Report on Carcinogens, 1991, has added crystalline silica to its list of substances that are "reasonably anticipated to be carcinogens."

WARNING: This product contains Titanium Dioxide (TiO₂). Inhalation may cause damage to respiratory system.Identified as a potential carcinogen by NIOSH. OSHA TWA for TiO₂ is 15 mg/m³.**FIRST AID:** **Eyes:** Flush thoroughly with water for 10 to 15 minutes. Contact physician if irritation persists.
Breathing: If breathing difficulty develops, remove to fresh air. If breathing difficulty persists, contact physician.