



SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name: Product Number: Manufacturer Name: Address: | BEHRÆ Premium Plus Exterior Flat Ultra Pure White No. 4050 4050 BEHR Process Corporation 3400 W. Segerstrom Avenue Santa Ana CA 92704 |
|--|--|
| U.S. Contact Info.: | |
| Business Phone: | (714) 545-7101 |
| Technical Service Phone: | (800) 854-0133 ext. 2 |
| Business Fax: | (714) 241-1002 |
| Canadian Contact Info.: | |
| Business Phone: | (800) 661-1591 |
| Technical Service Phone: | (800) 661-1591 |
| Business Fax: | (800) 387-0019 |

For emergencies in the US, call CHEMTREC: 800-424-9300 In Canada, call CANUTEC: (613) 996-6666 (call collect)

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

Product No. 4050

| Chemical Name | CAS# | Lower Percent | Upper Percent |
|---|------------|---------------|---------------|
| Titanium dioxide | 13463-67-7 | 10 | 30 |
| NJTS 50173NVE | No data | 10 | 30 |
| Nepheline Syenite | 37244-96-5 | 10 | 30 |
| Silica, crystalline - cristobalite | 14464-46-1 | 1 | 5 |
| Amorphous silica | 7631-86-9 | 1 | 5 |
| Hydrophobically-modified polyether solution | No data | 1 | 5 |
| Styrene/acrylic copolymer | No data | 1 | 5 |
| Aluminum hydroxide (Al(OH)3) | 21645-51-2 | 1 | 5 |
| Ethylene Glycol | 107-21-1 | 1 | 5 |
| Palygorskite | 12174-11-7 | 0.1 | 1 |
| Non-hazardous ingredients | | 30 | 60 |

SECTION 3: HAZARDS IDENTIFICATION

| Emergency Overview: | Irritant. |
|--|---|
| Applies to all Ingredients | |
| Potential Health Effects: | |
| Eye Contact: | May cause irritation. |
| Skin Contact: | May cause irritation. |
| Inhalation: | Prolonged or excessive inhalation may cause respiratory tract irritation. |
| Ingestion: | May be harmful if swallowed. May cause vomiting. |
| Chronic Skin Contact: | Prolonged or repeated contact may cause skin irritation. |
| Target Organs: | Eyes. Skin. Respiratory system. Digestive system. |
| Signs/Symptoms: | Overexposure may cause headaches and dizziness. |
| Aggravation of Pre-Existing Conditions: | None generally recognized. |

SECTION 4: FIRST AID MEASURES

Eye Contact: Immediately flush eyes with plenty of water for 15 to 20 minutes. Get medical attention, if irritation or symptoms of overexposure persists. Skin Contact: Immediately wash skin with soap and plenty of water. Get medical attention if irritation develops or persists. Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention. Ingestion: If swallowed, do NOT induce vomiting. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. Due to possible aspiration into the lungs, DO NOT induce vomiting if ingested. Provide a Other First Aid: glass of water to dilute the material in the stomach. If vomiting occurs naturally, have the person lean forward to reduce the risk of aspiration.

| SECTION 5: FIRE FIGHTING MEASURES Product No. 4 | | No. 4050 |
|---|--|-----------|
| Flash Point: | No Data | |
| Extinguishing Media: | Use alcohol foam, carbon dioxide, dry chemical, or water fog or spray when fight involving this material. | ing fires |
| Protective Equipment: | As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA (approved or equivalent) and full protective gear. | /NIOSH |

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:Use proper personal protective equipment as listed in section 8.Spill Cleanup Measures:Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste
container. Provide ventilation. Clean up spills immediately observing precautions in the
protective equipment section.Environmental Precautions:Avoid runoff into storm sewers, ditches, and waterways.

SECTION 7: HANDLING AND STORAGE

Product No. 4050

Product No. 4050

Product No. 4050

| Handling: | Use with adequate ventilation. Avoid breathing vapor and contact with eyes, skin and clothing. |
|--------------------|--|
| Storage: | Store in a cool, dry, well ventilated area away from sources of heat, combustible materials, and incompatible substances. Keep container tightly closed when not in use. |
| Hygiene Practices: | Wash thoroughly after handling. Avoid contact with eyes and skin. Avoid inhaling vapor or mist. |

SECTION 8: EXPOSURE CONTROLS, PERSONAL PROTECTION

Product No. 4050

Engineering Controls:

Use appropriate engineering control such as process enclosures, local exhaust ventilation,

| | or other engineering controls to control airborne levels below recommended exposure limits. Good general ventilation should be sufficient to control airborne levels. Where such systems are not effective wear suitable personal protective equipment, which performs satisfactorily and meets OSHA or other recognized standards. Consult with local procedures for selection, training, inspection and maintenance of the personal protective equipment. |
|------------------------------|--|
| Skin Protection Description: | Chemical-resistant gloves and chemical goggles, face-shield and synthetic apron or coveralls should be used to prevent contact with eyes, skin or clothing. |
| Hand Protection Description: | Wear appropriate protective gloves. Consult glove manufacturer's data for permeability data. |
| Eye/Face Protection: | Wear appropriate protective glasses or splash goggles as described by 29 CFR 1910.133, OSHA eye and face protection regulation, or the European standard EN 166. |
| Respiratory Protection: | A NIOSH approved air-purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection. |
| Other Protective: | Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. |

| Ingredient Guidelines | Guideline Type | Guideline Information |
|------------------------------------|----------------|----------------------------|
| Ethylene Glycol | | |
| | ACGIH TLV-STEL | C 100 mg/m3 (Aerosol only) |
| Silica, crystalline - cristobalite | | |
| | ACGIH TLV-TWA | 0.05 mg/m3 (Respirable) |
| Titanium dioxide | | |
| | ACGIH TLV-TWA | 10 mg/m3 |
| | OSHA PEL-TWA | 15 mg/m3 |
| | | |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

| Physical State/Appearance: | Liquid |
|----------------------------|--|
| Color: | White |
| pH: | 8.5 to 9.5 |
| Vapor Density: | Greater than 1 (Air = 1) |
| Density: | 10 - 12 Lbs./gal. |
| Molecular Formula: | Mixture |
| Molecular Weight: | Mixture |
| Flash Point: | No Data |
| VOC: | Material VOC: 29gm/l (Includes Water)" "Coating VOC: 71 gm/l (Excludes Water) |

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability:Stable under normal temperatures and pressures.Conditions to Avoid:Heat, flames, incompatible materials, and freezing or temperatures below 32 deg. F.Incompatibilities with Other MaterialsOxidizing agents. Strong acids and alkalis.Hazardous Polymerization:Not reported.Hazardous Decomposition Products:Incomplete combustion may produce carbon monoxide and other toxic gases.

SECTION 11: TOXICOLOGICAL INFORMATION

Product No. 4050

Ethylene Glycol

Product No. 4050

| Eye Effect: | Eye - Rabbit; Standard Draize : 500 mg/24H; Mild. Eye - Rabbit; Standard Draize : 1440 mg/6H; Moderate. (RTECS) |
|------------------------------------|--|
| Skin Effects: | Skin - Rabbit; Open irritation : 555 mg; Mild. (RTECS) |
| Ingestion Effects: | Ingestion - Rat LD50: 4700 mg/kg; Details of toxic effects not reported other than lethal dose value. (RTECS) |
| Inhalation Effects: | Inhalation - Rat LC: >200 mg/m3/4H; Details of toxic effects not reported other than lethal dose value Inhalation - Mouse LC: >200 mg/m3/2H; Details of toxic effects not reported other than lethal dose value (RTECS) |
| Amorphous silica | |
| Eye Effect: | Eye - Rabbit; Standard Draize : 25 mg/24H; Mild. (RTECS) |
| Ingestion Effects: | Ingestion - Rat LDLo: 5 gm/kg; Nutritional and Gross Metabolic - other changes (RTECS) |
| Inhalation Effects: | Inhalation - Rat LCLo: 2190 mg/m3/4H; Lungs, Thorax, or Respiration - dyspnea (RTECS) |
| Carcinogenicity: | IARC: Group 3: Unclassifiable as to carcinogenicity to humans |
| Palygorskite | |
| Carcinogenicity: | IARC: Group 2B: Possibly carcinogenic to humans |
| Silica, crystalline - cristobalite | |
| Carcinogenicity: | IARC: Group 1: Carcinogenic to humans NTP: Reasonably anticipated to be a human carcinogen |
| Titanium dioxide | |
| Skin Effects: | Skin - Rabbit; Standard Draize : 300 ug/3D; (Intermittent) Mild. (RTECS) |
| Ingestion Effects: | Ingestion - Rat TDLo: 60 gm/kg; Gastrointestinal - hypermotility, diarrhea Gastrointestinal - other changes. (RTECS) |
| Carcinogenicity: | IARC: Group 3: Unclassifiable as to carcinogenicity to humans |
| Notes | Not all of the toxicological studies for the ingredients contained in this product are displayed. For additional information, please consult the references listed in Section 16 of this MSDS. |

SECTION 12: ECOLOGICAL INFORMATION

| Ecotoxicity: | No ecotoxicity data was found for the product. |
|---------------------|--|
| Environmental Fate: | No environmental information found for this product. |

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal:

Consult with the US EPA Guidelines listed in 40 CFR Part 261.3 for the classifications of hazardous waste prior to disposal. Furthermore, consult with your state and local waste requirements or guidelines, if applicable, to ensure compliance. Arrange disposal in accordance to the EPA and/or state and local guidelines.

| SECTION 14: TRANSPORT INFORMATION | | Product No. 4050 |
|-------------------------------------|--------------------|------------------|
| DOT UN Number: DOT Hazard Class: | No Data No Data | |

SECTION 15: REGULATORY INFORMATION

| Aluminum hydroxide (Al(OH)3) | |
|------------------------------|---|
| TSCA 8(b): Inventory Status: | Listed |
| Canada DSL: | Listed |
| Ethylene Glycol | |
| TSCA 8(b): Inventory Status: | Listed |
| State: | Listed in the New Jersey State Right to Know list. Listed in the Pennsylvania Hazardous Subsatnces list. |
| Canada DSL: | Listed |

Product No. 4050

Product No. 4050

| Nepheline Syenite | |
|------------------------------------|--|
| TSCA 8(b): Inventory Status: | Not listed |
| Canada DSL: | Listed |
| Amorphous silica | |
| TSCA 8(b): Inventory Status: | Listed |
| State: | Listed in the Pennsylvania Hazardous Subsatnces list. |
| Canada DSL: | Listed |
| Palygorskite | |
| TSCA 8(b): Inventory Status: | Not listed |
| Canada DSL: | Not listed |
| Silica, crystalline - cristobalite | |
| TSCA 8(b): Inventory Status: | Listed |
| State: | Listed in the New Jersey State Right to Know list. Listed in the Pennsylvania Hazardous Subsatnces list. |
| Canada DSL: | Listed |
| Titanium dioxide | |
| TSCA 8(b): Inventory Status: | Listed |
| State: | Listed in the New Jersey State Right to Know list. Listed in the Pennsylvania Hazardous Subsatnces list. |
| Canada DSL: | Listed |
| Proposition 65: | WARNING: This product contains a chemical known to the state of California to cause cancer and birth defects or other reproductive harm. |
| | |

SECTION 16: ADDITIONAL INFORMATION

MSDS Revision Date: 06/26/2006 **MSDS** Author: Actio Corporation Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of

its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific materials designated. Refer to individual product safety Data sheets when using more than one product in combination with another.

References:

1. OSHA Hazard Communication Standard, 1910.1200 and Z Tables.

2. NIOSH Registry of Toxic Effects of Chemical Substances (RTECS) and Pocket Guide to Chemical Hazards.

3. Sax Dangerous Properties of Industrial Materials. Tenth Edition.

4. Hawleys Condensed Chemical Dictionary, Thirteenth Edition

5. IARC monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, WHO International Research on Cancer, 2004.

6. Industrial Hygiene and Toxicology, by F.A. Patty.

7. National Library of Medicine, Department of Health and Human Services, Hazardous Substances Data Bank (HSDB).

8. National Toxicology Program (NTP) Tenth Report on Carcinogens, 2002.

9. Brethericks Reactive Chemical Hazards Database. Version 2.

10. Gassarett and Doulls Toxicology, The Basic Science of Poisons.

11. The Merck Index: An Encyclopedia of Chemicals and Drugs. Merck and Company. Twelfth Edition 1998.

12. Threshold Limit Values for Chemical Substances and Physical Agents in the Work Environmental and Biological Exposure Indices. TLV Booklet, 2003.

Copyright© 1996-2006 Actio Software Corporation. All Rights Reserved.

The trademarks, service marks, graphics and logos used on this MSDS are registered or unregistered trademarks of BEHR Process Corporation. All Rights Reserved.