# SAFETY DATA SHEET

Version 5.2 Revision Date 06/13/2014 Print Date 09/09/2014

# 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Benzaldehyde

Product Number : 418099
Brand : Aldrich
Index-No. : 605-012-00-5

CAS-No. : 100-52-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

# 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Dermal (Category 4), H312

Skin irritation (Category 2), H315

Respiratory sensitisation (Category 1), H334 Skin sensitisation (Category 1), H317 Acute aquatic toxicity (Category 2), H401

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H227 Combustible liquid

H302 + H312 Harmful if swallowed or in contact with skin

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H401 Toxic to aquatic life.

Aldrich - 418099 Page 1 of 9

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P285 In case of inadequate ventilation wear respiratory protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you

feel unwell.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep

at rest in a position comfortable for breathing.

P322 Specific measures (see supplemental first aid instructions on this label).

P330 Rinse mouth.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/

physician.

P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for

extinction.

P403 + P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Synonyms : Artificial essential oil of almond

Formula : C<sub>7</sub>H<sub>6</sub>O

Molecular Weight : 106.12 g/mol
CAS-No. : 100-52-7

EC-No. : 202-860-4
Index-No. : 605-012-00-5

**Hazardous components** 

Component	Classification	Concentration
Benzaldehyde		
	Flam. Liq. 4; Acute Tox. 4;	-
	Skin Irrit. 2; Resp. Sens. 1;	
	Skin Sens. 1; Aquatic Acute 2;	
	H227, H302 + H312, H315,	
	H317, H334, H401	

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### lf inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

Aldrich - 418099 Page 2 of 9

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

no data available

### 5. FIREFIGHTING MEASURES

# 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

no data available

### 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

### 5.4 Further information

Under fire conditions, material may decompose to form flammable and/or explosive mixtures in air. Use water spray to cool unopened containers.

### 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

# 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Store under nitrogen. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Air, light, and moisture sensitive.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Aldrich - 418099 Page 3 of 9

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

### Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
Benzaldehyde	100-52-7	TWA	2 ppm	USA. Workplace Environmental Exposure Levels (WEEL)
	Remarks	Dermal Sensitization Notation		
		STEL	4 ppm	USA. Workplace Environmental Exposure Levels (WEEL)
		Dermal Sensitization Notation		

# 8.2 Exposure controls

# Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Chloroprene

Minimum layer thickness: 0.6 mm Break through time: 35 min

Material tested:Camapren® (KCL 722 / Aldrich Z677493, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Aldrich - 418099 Page 4 of 9

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Colour: colourless

b) Odour no data available

c) Odour Threshold no data available

d) pH 5.9 at 20 °C (68 °F)

e) Melting point/freezing

point

Melting point/range: -26 °C (-15 °F) - lit.

f) Initial boiling point and

boiling range

178 - 179 °C (352 - 354 °F) - lit.

g) Flash point no data available
h) Evapouration rate no data available
i) Flammability (solid, gas) no data available

j) Upper/lower Upper explosion limit: 8.5 %(V) flammability or Lower explosion limit: 1.4 %(V)

explosive limits

k) Vapour pressure 5 hPa (4 mmHg) at 45 °C (113 °F)

Vapour density
 3.66 - (Air = 1.0)

m) Relative density 1.045 g/cm3 at 25 °C (77 °F)

n) Water solubility slightly solubleo) Partition coefficient: n- log Pow: 1.5

o) Partition coefficient: n-

octanol/water Auto-ignition

no data available

temperature

no data available

q) Decomposition temperature

r) Viscosity no data availables) Explosive properties no data available

t) Oxidizing properties no data available

9.2 Other safety information

Relative vapour density 3.66 - (Air = 1.0)

# **10. STABILITY AND REACTIVITY**

# 10.1 Reactivity

no data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

no data available

# 10.4 Conditions to avoid

Air Exposure to moisture. Light. Heat.

Heat, flames and sparks.

# 10.5 Incompatible materials

Strong oxidizing agents, Strong reducing agents, Strong bases, Alkali metals, Aluminium, Iron, phenols, Oxygen

Aldrich - 418099 Page 5 of 9

# 10.6 Hazardous decomposition products

Other decomposition products - no data available

In the event of fire: see section 5

### 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - rat - 1,300 mg/kg

Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Coma.

Inhalation: no data available

LD50 Dermal - rabbit - 1,250 mg/kg

no data available

#### Skin corrosion/irritation

Skin - rabbit

Result: Skin irritation - 24 h

### Serious eye damage/eye irritation

Eyes - rabbit

Result: Mild eye irritation

# Respiratory or skin sensitisation

# Germ cell mutagenicity

Laboratory experiments have shown mutagenic effects.

# Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

# Reproductive toxicity

no data available

no data available

# Specific target organ toxicity - single exposure

no data available

### Specific target organ toxicity - repeated exposure

no data available

### **Aspiration hazard**

no data available

# **Additional Information**

RTECS: CU4375000

Central nervous system depression, Prolonged or repeated exposure to skin causes defatting and dermatitis.

Liver - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence

Aldrich - 418099 Page 6 of 9

# 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity to fish LC50 - Lepomis macrochirus - 1.07 mg/l - 96 h

mortality LOEC - Pimephales promelas (fathead minnow) - 0.45 mg/l - 7 d mortality NOEC - Pimephales promelas (fathead minnow) - 0.22 mg/l - 7 d

LC50 - Leuciscus idus (Golden orfe) - 62 mg/l - 48 h

Toxicity to daphnia and

EC50 - Daphnia magna (Water flea) - 50 mg/l - 24 h

other aquatic invertebrates

# 12.2 Persistence and degradability

Biodegradability Biotic/Aerobic - Exposure time 28 d

Result: 95 % - Readily biodegradable.

### 12.3 Bioaccumulative potential

no data available

# 12.4 Mobility in soil

no data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life.

no data available

# 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

### **Product**

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

### Contaminated packaging

Dispose of as unused product.

# 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1990 Class: 9 Packing group: III

Proper shipping name: Benzaldehyde

Reportable Quantity (RQ): Marine pollutant: No

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1990 Class: 9 Packing group: III EMS-No: F-A, S-A

Proper shipping name: BENZALDEHYDE

Marine pollutant: No

IATA

UN number: 1990 Class: 9 Packing group: III

Proper shipping name: Benzaldehyde

Aldrich - 418099 Page 7 of 9

# 15. REGULATORY INFORMATION

### **SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

### **Massachusetts Right To Know Components**

	CAS-No.	Revision Date
Benzaldehyde	100-52-7	2007-03-01

### Pennsylvania Right To Know Components

Benzaldehyde CAS-No. Revision Date 100-52-7 2007-03-01

**New Jersey Right To Know Components** 

Benzaldehyde CAS-No. Revision Date 2007-03-01

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### 16. OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Flam. Liq. Flammable liquids
H227 Combustible liquid
H302 Harmful if swallowed.

H302 + H312 Harmful if swallowed or in contact with skin

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

# **HMIS Rating**

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 0
Physical Hazard 0

# **NFPA Rating**

Health hazard: 2
Fire Hazard: 0
Reactivity Hazard: 0

# **Further information**

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Aldrich - 418099 Page 8 of 9

Preparation Information Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Revision Date: 06/13/2014 Print Date: 09/09/2014 Version: 5.2

Aldrich - 418099 Page 9 of 9