# SIGMA-ALDRICH

# **Material Safety Data Sheet**

Version 3.3 Revision Date 11/22/2012 Print Date 08/28/2013

1. PRODUCT AND COMPANY IDENTIFICATION				
Product name	:	Benzenesulfonyl chloride		
Product Number Brand	:	108138 Aldrich		
Supplier	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA		
Telephone	:	+1 800-325-5832		
Fax	:	+1 800-325-5052		
Emergency Phone # (For both supplier and manufacturer)	:	(314) 776-6555		
Preparation Information	:	Sigma-Aldrich Corporation Product Safety - Americas Region 1-800-521-8956		

# 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

#### **OSHA Hazards**

Harmful by ingestion., Corrosive

Other hazards which do not result in classification Lachrymator.

#### **GHS Classification**

Acute toxicity, Oral (Category 4) Acute toxicity, Inhalation (Category 4) Skin corrosion (Category 1B) Serious eye damage (Category 1) Respiratory sensitization (Category 1) Skin sensitization (Category 1)

### GHS Label elements, including precautionary statements

Danger

Pictogram

Signal word



	-
Hazard statement(s)	
H302 + H332	Harmful if swallowed or if inhaled
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Precautionary statement(s)	
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/ physician.

#### **HMIS Classification**

Health hazard:	3
Flammability:	1
Physical hazards:	0
NFPA Rating	
Health hazard:	3
Fire:	1
Reactivity Hazard:	0
Potential Health Effects	
Inhalation	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
Skin	Harmful if absorbed through skin. Causes skin burns.
Eyes	Causes eye burns.
Ingestion	Harmful if swallowed.

Formula Molecular Weight	:	C <sub>6</sub> H <sub>5</sub> ClO <sub>2</sub> S 176.62 g/mol	
Component			Concentration
Benzenesulphonyl ch	loride		
CAS-No.		98-09-9	-

#### 4. FIRST AID MEASURES

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

EC-No.

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### **5. FIREFIGHTING MEASURES**

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

202-636-6

#### Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Sulphur oxides, Hydrogen chloride gas

#### 6. ACCIDENTAL RELEASE MEASURES

#### **Personal precautions**

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

#### **Environmental precautions**

Do not let product enter drains.

#### Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Normal measures for preventive fire protection.

#### Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Moisture sensitive.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

#### Personal protective equipment

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: > 480 min Material tested:Vitoject® (Aldrich Z677698, Size M)

Splash protection Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: > 30 min Material tested:Vitoject® (Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### Eye protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Appearance

	Form	clear, liquid
	Colour	colourless
Sa	afety data	
	рН	no data available
	Melting point/freezing point	Melting point/range: 13 - 15 °C (55 - 59 °F) - lit.
	Boiling point	251 - 252 °C (484 - 486 °F) - lit.
	Flash point	132 °C (270 °F) - closed cup
	Ignition temperature	no data available
	Autoignition temperature	no data available
	Lower explosion limit	no data available
	Upper explosion limit	no data available
	Vapour pressure	0.7 hPa (0.5 mmHg) at 55 °C (131 °F) 0.05 hPa (0.04 mmHg) at 20 °C (68 °F)
	Density	1.384 g/cm3 at 25 °C (77 °F)
	Water solubility	no data available
	Partition coefficient: n-octanol/water	no data available
	Relative vapour density	no data available
	Odour	no data available
	Odour Threshold	no data available
	Evaporation rate	no data available

## **10. STABILITY AND REACTIVITY**

#### Chemical stability

Stable under recommended storage conditions.

# Possibility of hazardous reactions no data available

#### **Conditions to avoid** Avoid moisture.

### Materials to avoid Strong oxidizing agents, Strong bases

#### Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Sulphur oxides, Hydrogen chloride gas Other decomposition products - no data available

### **11. TOXICOLOGICAL INFORMATION**

# Acute toxicity

# Oral LD50

LD50 Oral - rat - 1,960 mg/kg Remarks: Behavioral:Somnolence (general depressed activity). Respiratory disorder

#### Inhalation LC50

# Dermal LD50

no data available

# Other information on acute toxicity no data available

# Skin corrosion/irritation

no data available

Serious eye damage/eye irritation no data available

# Respiratory or skin sensitization

no data available

May cause allergic respiratory and skin reactions

# Germ cell mutagenicity

no data available

## Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

## **Reproductive toxicity**

no data available

#### Teratogenicity

no data available

# Specific target organ toxicity - single exposure (Globally Harmonized System) no data available

# Specific target organ toxicity - repeated exposure (Globally Harmonized System) no data available

# Aspiration hazard

no data available

# Potential health effects

Inhalation	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
Ingestion	Harmful if swallowed.
Skin	Harmful if absorbed through skin. Causes skin burns.
Eyes	Causes eye burns.

#### Signs and Symptoms of Exposure

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

# Synergistic effects

no data available

Additional Information RTECS: DB8750000

#### **12. ECOLOGICAL INFORMATION**

#### Toxicity

Toxicity to fish LC50 - Salmo trutta - 3 mg/l - 48 h

#### Persistence and degradability

no data available

# **Bioaccumulative potential** no data available

Mobility in soil

no data available

**PBT and vPvB assessment** no data available

#### Other adverse effects

no data available

## 13. DISPOSAL CONSIDERATIONS

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

#### **Contaminated packaging**

Dispose of as unused product.

#### **14. TRANSPORT INFORMATION**

#### DOT (US)

UN number: 2225 Class: 8 Packing group: III Proper shipping name: Benzene sulfonyl chloride Reportable Quantity (RQ): 100 lbs Marine pollutant: No Poison Inhalation Hazard: No

#### IMDG

UN number: 2225 Class: 8 Packing group: III Proper shipping name: BENZENESULPHONYL CHLORIDE Marine pollutant: No EMS-No: F-A, S-B

#### ΙΑΤΑ

UN number: 2225 Class: 8 Packing group: III Proper shipping name: Benzenesulphonyl chloride

## **15. REGULATORY INFORMATION**

### **OSHA Hazards**

Harmful by ingestion., Corrosive

# SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Acute Health Hazard

#### Massachusetts Right To Know Components

CAS-No. Revision Date

Benzenesulphonyl chloride	98-09-9	1993-04-24
Pennsylvania Right To Know Components	CAS-No.	Revision Date
Benzenesulphonyl chloride	98-09-9	1993-04-24
New Jersey Right To Know Components		
Benzenesulphonyl chloride	CAS-No. 98-09-9	Revision Date 1993-04-24

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### **16. OTHER INFORMATION**

#### **Further information**

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.