# SIGMA-ALDRICH

sigma-aldrich.com

**SAFETY DATA SHEET** 

Version 5.6 Revision Date 06/24/2014 Print Date 10/16/2014

1. PF	RODUCT AND COMPANY ID	EN	TIFICATION
1.1	Product identifiers Product name	:	Borane tetrahydrofuran complex solution
	Product Number Brand	:	176192 Aldrich
1.2	Relevant identified uses of the substance or mixture and uses advised against		
	Identified uses	:	Laboratory chemicals, Manufacture of substances
1.3	Details of the supplier of the safety data sheet		safety data sheet
	Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
	Telephone Fax	:	+1 800-325-5832 +1 800-325-5052

#### 1.4 **Emergency telephone number**

**Emergency Phone #** : (314) 776-6555

## 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Substances and mixtures, which in contact with water, emit flammable gases (Category 1), H260 Acute toxicity, Oral (Category 4), H302 Skin irritation (Category 2), H315 Serious eye damage (Category 1), H318 Carcinogenicity (Category 2), H351 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)	
H225	Highly flammable liquid and vapour.
H260	In contact with water releases flammable gases which may ignite spontaneously.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.

Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P223	Keep away from any possible contact with water, because of violent reaction and possible flash fire.
P231 + P232	Handle under inert gas. Protect from moisture.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ protective clothing/ eye protection/ face
P301 + P312	protection. IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you
	feel unwell.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove
<b>D</b> 240	contact lenses, if present and easy to do. Continue rinsing.
P310 P321	Immediately call a POISON CENTER or doctor/ physician. Specific treatment (see supplemental first aid instructions on this label).
P330	Rinse mouth.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P335 + P334	Brush off loose particles from skin. Immerse in cool water/ wrap in wet
F 555 + F 554	bandages.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P402 + P404	Store in a dry place. Store in a closed container.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

# **2.3 Hazards not otherwise classified (HNOC) or not covered by GHS** May form explosive peroxides.

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

3.2	Mixtures		
	Formula	:	С <sub>4</sub> Н <sub>11</sub> ВО
	Molecular Weight	:	85.94 g/mol

Hazardous components			
Component		Classification	Concentration
Tetrahydrofuran			
CAS-No.	109-99-9	Flam. Liq. 2; Eye Irrit. 2A;	90 - 100 %
EC-No.	203-726-8	Carc. 2; STOT SE 3; H225,	
Index-No.	603-025-00-0	H319, H335, H351	
Registration number	01-2119444314-46-XXXX		
Tetrahydrofuran-borane			
CAS-No.	14044-65-6	Flam. Liq. 2; Water-react. 1;	5 - 10 %

H225, H260, H315, H319
------------------------

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### **4.2** Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3** Indication of any immediate medical attention and special treatment needed no data available

### **5. FIREFIGHTING MEASURES**

5.1 Extinguishing media

#### Suitable extinguishing media Dry powder

- 5.2 Special hazards arising from the substance or mixture no data available
- **5.3** Advice for firefighters Wear self contained breathing apparatus for fire fighting if necessary.
- 5.4 Further information no data available

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Do not flush with water.

#### 6.4 Reference to other sections

For disposal see section 13.

#### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment.Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Never allow product to get in contact with water during storage.

Recommended storage temperature: 2 - 8 °C

Do not allow water to enter container. Handle and store under inert gas. The pressure in sealed containers can increase under the influence of heat.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

#### Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis			
Tetrahydrofuran	109-99-9	TWA	50 ppm	USA. ACGIH Threshold Limit Values (TLV)			
	Remarks	Central Ner	Central Nervous System impairment				
			Upper Respiratory Tract irritation				
		Kidney dam	Kidney damage				
		Confirmed animal carcinogen with unknown relevance to humans					
		Danger of c	utaneous absorpti	ion			
		STEL	100 ppm	USA. ACGIH Threshold Limit Values			
				(TLV)			
			vous System impa				
			Upper Respiratory Tract irritation				
			Kidney damage				
			Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption				
		TWA	200 ppm	USA. NIOSH Recommended			
			590 mg/m3	Exposure Limits			
		ST	250 ppm	USA. NIOSH Recommended			
			735 mg/m3	Exposure Limits			
		TWA	200 ppm	USA. Occupational Exposure Limits			
			590 mg/m3	(OSHA) - Table Z-1 Limits for Air			
			Ū	Contaminants			
		The value in	The value in mg/m3 is approximate.				
		STEL	250 ppm	USA. OSHA - TABLE Z-1 Limits for			
			735 mg/m3	Air Contaminants - 1910.1000			
		TWA	200 ppm	USA. OSHA - TABLE Z-1 Limits for			
1			590 mg/m3	Air Contaminants - 1910.1000			

#### **Biological occupational exposure limits**

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Tetrahydrofuran	109-99-9	Tetrahydrofur an	2 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (As soon as possible after exposure ceases)			

#### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

#### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 10 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Appearance	Form: liquid Colour: colourless
Odour	no data available
Odour Threshold	no data available
рН	no data available
Melting point/freezing point	no data available
Initial boiling point and boiling range	65.5 - 66.5 °C (149.9 - 151.7 °F)
Flash point	-17 °C (1 °F) - closed cup
Evapouration rate	no data available
Flammability (solid, gas)	no data available
Upper/lower flammability or explosive limits	Upper explosion limit: 12.42 %(V) Lower explosion limit: 1.58 %(V)
Vapour pressure	no data available
Vapour density	no data available
	Odour Odour Threshold pH Melting point/freezing point Initial boiling point and boiling range Flash point Evapouration rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapour pressure

m)	Relative density	0.898 g/cm3 at 25 °C (77 °F)
n)	Water solubility	no data available
o)	Partition coefficient: n- octanol/water	no data available
p)	Auto-ignition temperature	no data available
q)	Decomposition temperature	no data available
r)	Viscosity	no data available
s)	Explosive properties	no data available
t)	Oxidizing properties	no data available
	er safety information	

# no data available

# **10. STABILITY AND REACTIVITY**

#### 10.1 Reactivity

9.2

no data available

#### **10.2** Chemical stability

Stable under recommended storage conditions. Contains the following stabiliser(s): Sodium borohydride (<0.019 %)

#### **10.3 Possibility of hazardous reactions** Vapours may form explosive mixture with air.Reacts violently with water.

# 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight. Exposure to moisture.

# **10.5** Incompatible materials acids, Acid chlorides, Acid anhydrides, Alcohols, Oxidizing agents, Oxygen

#### **10.6 Hazardous decomposition products** In the event of fire: see section 5

### **11. TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - rat - > 500 - < 2,000 mg/kg

no data available

Inhalation: no data available

Dermal: no data available

no data available

#### Skin corrosion/irritation

Skin - rabbit Result: Skin irritation (OECD Test Guideline 404)

# Serious eye damage/eye irritation no data available

Respiratory or skin sensitisation no data available

#### Germ cell mutagenicity

#### no data available

#### Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **Reproductive toxicity**

no data available no data available

# Specific target organ toxicity - single exposure

May cause respiratory irritation.

# Specific target organ toxicity - repeated exposure no data available

Aspiration hazard

no data available

#### **Additional Information**

**RTECS:** Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Liver - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence (Tetrahydrofuran) Liver - Irregularities - Based on Human Evidence (Tetrahydrofuran-borane)

### **12. ECOLOGICAL INFORMATION**

12.1 Toxicity

no data available

- 12.2 Persistence and degradability no data available
- **12.3 Bioaccumulative potential** no data available

**12.4** Mobility in soil no data available

- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Other adverse effects** no data available

#### **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### **Contaminated packaging**

Dispose of as unused product.

## **14. TRANSPORT INFORMATION**

#### DOT (US)

UN number: 3399 Class: 4.3 (3) Packing group: I Proper shipping name: Organometallic substance, liquid, water-reactive, flammable (Tetrahydrofuran-borane, Tetrahydrofuran) Reportable Quantity (RQ): 1106 lbs Marine pollutant: No Poison Inhalation Hazard: No

## IMDG

UN number: 3399 Class: 4.3 (3) Packing group: I EMS-No: F-G, S-N Proper shipping name: ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (Tetrahydrofuran-borane, Tetrahydrofuran) Marine pollutant: No

## IATA

UN number: 3399 Class: 4.3 (3) Packing group: I Proper shipping name: Organometallic substance, liquid, water-reactive, flammable (Tetrahydrofuran-borane, Tetrahydrofuran) IATA Passenger: Not permitted for transport

# **15. REGULATORY INFORMATION**

#### SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Fire Hazard, Reactivity Hazard, Acute Health Hazard, Chronic Health Hazard

### Massachusetts Right To Know Components

	CAS-No.	Revision Date
Tetrahydrofuran	109-99-9	1993-04-24
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Tetrahydrofuran	109-99-9	1993-04-24
Tetrahydrofuran-borane	14044-65-6	
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Tetrahydrofuran	109-99-9	1993-04-24
Tetrahydrofuran-borane	14044-65-6	

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

Carc.	Carcinogenicity
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquids
H225	Highly flammable liquid and vapour.
H260	In contact with water releases flammable gases which may ignite spontaneously.
H302	Harmful if swallowed.

H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
Skin Irrit.	Skin irritation
STOT SE	Specific target organ toxicity - single exposure
Water-react.	Substances and mixtures, which in contact with water, emit flammable gases

#### **HMIS Rating**

Health hazard: Chronic Health Hazard: Flammability:	2 * 3 2
Physical Hazard NFPA Rating Health hazard:	2
	~

W

#### Further information

Special hazard.I:

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

#### **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.6

Revision Date: 06/24/2014

Print Date: 10/16/2014