# SIGMA-ALDRICH

sigma-aldrich.com

# SAFETY DATA SHEET

Version 5.3 Revision Date 07/01/2014 Print Date 09/09/2014

# **1. PRODUCT AND COMPANY IDENTIFICATION**

1.1	Product identifiers Product name	:	Carbon tetrachloride
	Product Number Brand Index-No.	:	289116 Sigma-Aldrich 602-008-00-5
	CAS-No.	:	56-23-5
1.2	Relevant identified uses of the substance or mixture and uses advised against		
	Identified uses	:	Laboratory chemicals, Manufacture of substances
1.3	Details of the supplier of the safety data sheet		
	Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
	Telephone Fax	:	+1 800-325-5832 +1 800-325-5052
1.4	Emergency telephone nur	nbe	er

Emergency Phone #	: (	(314)	776-6555
-------------------	-----	-------	----------

# 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311 Skin sensitisation (Sub-category 1B), H317 Carcinogenicity (Category 2), H351 Specific target organ toxicity - repeated exposure (Category 1), H372 Acute aquatic toxicity (Category 3), H402 Chronic aquatic toxicity (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)	
H301 + H311 + H331	Toxic if swallowed, in contact with skin or if inhaled
H317	May cause an allergic skin reaction.
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/
	physician.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P322	Specific measures (see supplemental first aid instructions on this label).
P330	Rinse mouth.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P361	Remove/Take off immediately all contaminated clothing.
P363	Wash contaminated clothing before reuse.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

**2.3 Hazards not otherwise classified (HNOC) or not covered by GHS** Rapidly absorbed through skin.

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.1 Substances

Synonyms : Tetrachlorome	thane
Formula : CCl <sub>4</sub> CCl <sub>4</sub>	
Molecular Weight : 153.82 g/mol	
CAS-No. : 56-23-5	
EC-No. : 200-262-8	
Index-No. : 602-008-00-5	

#### Hazardous components

Component	Classification	Concentration
Tetrachloromethane		
	Acute Tox. 3; Skin Sens. 1B; Carc. 2; STOT RE 1; Aquatic Acute 3; Aquatic Chronic 3; H301 + H311 + H331, H317, H351, H372, H412	90 - 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

# If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

# If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

- 4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- Indication of any immediate medical attention and special treatment needed 4.3 no data available

# 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture Carbon oxides, Hydrogen chloride gas

#### 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### 5.4 **Further information**

no data available

# 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

#### 6.2 **Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling Avoid contact with skin and eves. Avoid inhalation of vapour or mist. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

#### 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 **Control parameters**

# Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis		
Tetrachloromethane	56-23-5	TWA	5 ppm	USA. ACGIH Threshold Limit Values (TLV)		
	Remarks	Liver damag	ge			
		Suspected h	numan carcinogen			
			utaneous absorptio	on		
		STEL	10 ppm	USA. ACGIH Threshold Limit Values (TLV)		
		Liver damag	je			
			Suspected human carcinogen			
			utaneous absorptio			
		ST	2 ppm	USA. NIOSH Recommended		
			12.6 mg/m3	Exposure Limits		
		Potential Oc	cupational Carcino	ogen		
		See Appendix A				
		TWA	10 ppm	USA. Occupational Exposure Limits (OSHA) - Table Z2		
		Z37.17-196	7			
		CEIL	25 ppm	USA. Occupational Exposure Limits (OSHA) - Table Z2		
		Z37.17-196	7			
		Peak	200 ppm	USA. Occupational Exposure Limits (OSHA) - Table Z2		
		Z37.17-196	7	· · · ·		
		TWA	2 ppm 12.6 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000		
		See Table Z				

# 8.2 Exposure controls

# Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

### Personal protective equipment

## **Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

# Full contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 240 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid
b)	Odour	sweet
c)	Odour Threshold	no data available
d)	рН	no data available
e)	Melting point/freezing point	Melting point/range: -23 °C (-9 °F) - lit.
f)	Initial boiling point and boiling range	76 - 77 °C (169 - 171 °F) - lit.
g)	Flash point	does not flash
h)	Evapouration rate	no data available
i)	Flammability (solid, gas)	no data available
j)	Upper/lower flammability or explosive limits	no data available
k)	Vapour pressure	45 hPa (34 mmHg) at 0.3 °C (32.5 °F) 120 hPa (90 mmHg) at 19.8 °C (67.6 °F) 14,549 hPa (10,913 mmHg) at 24 °C (75 °F)
I)	Vapour density	no data available
m)	Relative density	1.594 g/cm3 at 25 °C (77 °F)
n)	Water solubility	0.8461 g/l at 20 °C (68 °F)
o)	Partition coefficient: n- octanol/water	log Pow: 2.83 at 25 °C (77 °F)
p)	Auto-ignition temperature	no data available
q)	Decomposition temperature	no data available
r)	Viscosity	no data available
s)	Explosive properties	no data available
t)	Oxidizing properties	no data available
Oth	ner safety information	
	Surface tension	26.7 mN/m at 20 °C (68 °F) 19.5 mN/m at 80 °C (176 °F)

9.2

# **10. STABILITY AND REACTIVITY**

- **10.1 Reactivity** no data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3** Possibility of hazardous reactions no data available
- **10.4** Conditions to avoid no data available
- **10.5** Incompatible materials Strong oxidizing agents
- **10.6 Hazardous decomposition products** Other decomposition products - no data available In the event of fire: see section 5

# **11. TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects

# Acute toxicity

LD50 Oral - rat - 2,350 mg/kg

LC50 Inhalation - rat - 4 h - 8000 ppm

LD50 Dermal - rabbit - > 20,000 mg/kg

no data available

# Skin corrosion/irritation

Skin - rabbit Result: Mild skin irritation - 24 h (Draize Test)

### Serious eye damage/eye irritation

Eyes - rabbit Result: Mild eye irritation - 24 h (Draize Test)

#### Respiratory or skin sensitisation

- mouse Result: The product is a skin sensitiser, sub-category 1B. (OECD Test Guideline 429)

# Germ cell mutagenicity

no data available

# Carcinogenicity

This product is or contains a component that has been reported to be probably carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification. Limited evidence of carcinogenicity in animal studies

- IARC: 2B Group 2B: Possibly carcinogenic to humans (Tetrachloromethane)
- NTP: Reasonably anticipated to be a human carcinogen (Tetrachloromethane)
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

# **Reproductive toxicity**

no data available

no data available

# Specific target organ toxicity - single exposure

no data available

# Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

# **Aspiration hazard**

no data available

# **Additional Information**

RTECS: FG4900000

Vomiting, Diarrhoea, Abdominal pain, Nausea, Dizziness, Headache, Damage to the eyes., Liver injury may occur., Kidney injury may occur., Exposure to and/or consumption of alcohol may increase toxic effects., Contact with skin can cause:, Pain, Erythema, hyperemia

# **12. ECOLOGICAL INFORMATION**

# 12.1 Toxicity

Toxicity to fish	mortality LC50 - Danio rerio (zebra fish) - 24.3 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	Immobilization EC50 - Daphnia magna (Water flea) - 35 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	Growth inhibition EC50 - Algae - 20 mg/l - 72 h (OECD Test Guideline 201)

# 12.2 Persistence and degradability no data available

# 12.3 Bioaccumulative potential

Bioaccumulation

Lepomis macrochirus (Bluegill) - 21 d - 52.3 µg/l

Bioconcentration factor (BCF): 30

# 12.4 Mobility in soil

no data available

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

# **13. DISPOSAL CONSIDERATIONS**

# 13.1 Waste treatment methods

# Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

# Contaminated packaging

Dispose of as unused product.

# 14. TRANSPORT INFORMATION

# DOT (US)

UN number: 1846 Class: 6.1 Proper shipping name: Carbon tetrachloride Reportable Quantity (RQ): 10 lbs Marine pollutant: No Packing group: II

# IMDG

Packing group: II UN number: 1846 Class: 6.1 Proper shipping name: CARBON TETRACHLORIDE Marine pollutant: Marine pollutant

# ΙΑΤΑ

UN number: 1846	Class: 6.1	Packing group: II
Proper shipping name:	Carbon tetrachloride	

# **15. REGULATORY INFORMATION**

# SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# **SARA 313 Components**

The following components are subject to reporting levels establis	-	
	CAS-No.	Revision Date
Tetrachloromethane	56-23-5	2007-07-01
SARA 311/312 Hazards Acute Health Hazard, Chronic Health Hazard		
Massachusetts Right To Know Components		
5	CAS-No.	<b>Revision Date</b>
Tetrachloromethane	56-23-5	2007-07-01
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Tetrachloromethane	56-23-5	2007-07-01
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Tetrachloromethane	56-23-5	2007-07-01
California Prop. 65 Components		
WARNING! This product contains a chemical known to the	CAS-No.	Revision Date
State of California to cause cancer. Tetrachloromethane	56-23-5	2007-09-28

# **16. OTHER INFORMATION**

# Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Aquatic Acute Aquatic Chronic Carc.	Acute toxicity Acute aquatic toxicity Chronic aquatic toxicity
H301	Carcinogenicity Toxic if swallowed.
H301 + H311 + H331	Toxic if swallowed, in contact with skin or if inhaled
H311	Toxic in contact with skin.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.

# **HMIS Rating**

Health hazard:	2
Chronic Health Hazard:	*
Flammability:	0
Physical Hazard	0

EMS-No: F-A, S-A

# **NFPA** Rating

Health hazard:	2
Fire Hazard:	0
Reactivity Hazard:	0

# **Further information**

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.3

Revision Date: 07/01/2014

Print Date: 09/09/2014