7 August 2007

MATERIAL SAFETY DATA SHEET

MANUFACTURER: SKM Industries Inc.

1012 Underwood Road

PO Box 278

Olyphant, Pa 18447

INFORMATION TELEPHONE NUMBER: (570) 383-3062

IN CASE OF EMERGENCY: CALL CHEMTREC at 1-800-424-9300

------SECTION 1- PRODUCT IDENTIFICATION-----

PRODUCT NAME: Correction Pen

ITEMS: 600B & 600BL, plastic tip; 1600BL & 1278, metal tip; 1277M, mini; white and all colors

PRODUCT SIZES: 8ml, 12ml, & 18ml

PRODUCT CLASS: PEN

-----SECTION 2 MATERIAL IDENTIFICATION AND INFORMATION-----

Components- % OSHA ACGIH Other Limits
Chemical Name PEL TLV Recommended

& Common Names

(Hazardous

Components 1%

or greater,

Carcinogens 0.1%

or greater)

Petroleum Solvent Proprietary TWA 400 PPM

Titanium Dioxide Proprietary Resins Proprietary

Colorants Proprietary

Non-Hazardous Ingredients

TOTAL 100 %

-----SECTION 3-PHYSICAL/CHEMICAL CHARACTERISTICS------

Boiling Point 210 F Specific Gravity (H 0 = 1) 0.8

Vapor Pressure 7 Melting Point .76

Vapor Density (Air =1) 3.5 Evaporation Rate (BA=1) 5.5

Solubility in Water Less than .01 at 77 F Water Reactive NO

Appearance and Odor White (or colored) viscous fluid with petroleum odor.

1

SECTION 4-FIRE AND EXPOLSION HAZARD DATA									
Flash Point and 20 I Method Used	FOC Auto-Ignition Temperatur		Flammability Limits in Air % by Volume	LEL 19 19	UEL 11.6				
Extinguisher Media		Foam or dry chemical							
Special Fire Fighting Procedures		Foam or dry chemical Shut off flow, allow to burn out							
Unusual Fire and Explosion Hazards		Vapors explosive if collected							
SECTION 5-REACTIVITY HAZARD DATA									
STABILITY XStable Uns	stable	Со	nditions to Avoid	N/A					
INCOMPAIBILITY (Materials to AVOID) Strong oxidizing agent									
Hazardous Decomposition Products None									
HAZARDOUS POLYMERIZATION Conditions to Avoid N/A  X Will not occur May Occur									
SECTION 6-HEALTH HAZARD DATA									
PRIMARY ROUTE OF ENTRY CARCINOGEN LISTED IN	$\overline{X}$ Skin Absorp	otion	OSHA						
HEALTH HAZARDS  Acute Eye contact should be avoided. Chronic Varies from person to person.									
Signs and Symptoms of Exposure Drowsiness, Blurred vision if Concentrated and inhaled.									
Medical Conditions Generally Aggravated by Exposure  Drug usage									
EMERGENCY FIRS support if necessary Eye Contact	•	y and rep	edical assistance for furth neatedly with water. If sician.	ner treatmen	t, observation, and				
Skin Contact Inhalation Ingestion	Clean skin thoroughly with soap and water.  None under normal use. Deliberate concentration and Inhalation can be harmful or fatal.  Consult physician or Poison Control Center. Do not								

Induc	e vomiting. Move t	o fresh air.					
SECTIO	ON 7-CONTROL A	ND PROTEC	TIVE MEASURE	E <b>S</b>			
Respiratory Protection (spe	ecify type) None						
Protective Gloves	NO		Eye Protection	NO			
	ocal Exhaust Other (Specify)	Mechanical (g	eneral) Spec	cial			
Other Protective Clothing a	and Equipment N	Ю					
Hygienic Work Practices	Ν	NO					
SECTION 8-PRECAU	TIONS FOR SAFI	E HANDLING	AND USE/LEA	AK PROCEDURES			
Step to be taken if Mater	rial is Spilled or Ro		orbent material. np as trash.	Allow to evaporat	e.		
Waste Disposal Methods Precautions to be taken for Handling and Storage Other Precautions and/or S	Large qu	Normal trash.  Geep away from fire and flame.  Large quantities should be stored as flammable liquid.  ds					
	SECTION 9- REGU	U <b>LATORY IN</b>	FORMATION				
DOT HAZARD CLASS: DOT SHIPPING NAME:							
TSCA:	All components of this product comply with the U.S. Toxic Substance Control Act (TSCA).						
OTHERS:	THIS PRODUCT DOES NOT CONTAIN CHEMICALS KNOWN TO DEPLETE THE OZONE LAYER.						
SKM Industries Inc., the product and statements) is accommodate and statements is accommodate. FITNESS FOR ANY PAR IMPLIES, IS MADE AS Coprovided herein relates only used in combination with a confuse of the product and the	urate as of the date to TICULAR PURPOS CONCERNS THE IN to the specific promy other materials of the specific promotes are specific promotes.	hereof. NO W SE, OR ANY ON NFORMAITIO duct designated or in any process	ARRANTY OR I OTHER WARRA IN HEREIN PRO Id and may not be ss. Further, since	MERCHANTABILI NTY, EXPRESS OI VIDED. The inform valid where such pro the conditions and n	TY, R nation oduct is nethods		

used in combination with any other materials or in any process. Further, since the conditions and methods of use of the product and the information referred to herein are beyond the control of SKM Industries Inc. the prepare of this MSDS (references to SKM Industries Inc., including its divisions, affiliates, and subsidiaries). SKM Industries Inc., the prepare of this MSDS, expressly disclaims all liability as to any results obtained or arising from any use of the product or such information. No statement made herein shall be construed as a permission or recommendation for the use of any product in a manner that might infringe existing patents.