Material Safety Data Sheet

Version 4.2 Revision Date 08/31/2012 Print Date 09/04/2013

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : *p*-Cresol

Product Number : W233706 Brand : Aldrich

Supplier : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052 Emergency Phone # (For : (314) 776-6555

both supplier and

manufacturer)

Preparation Information : Sigma-Aldrich Corporation

Product Safety - Americas Region

1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Highly toxic by inhalation, Toxic by ingestion, Toxic by skin absorption

Target Organs

Central nervous system, Lungs, Eyes, Liver, Kidney

GHS Classification

Acute toxicity, Oral (Category 3)
Acute toxicity, Inhalation (Category 2)
Acute toxicity, Dermal (Category 3)
Acute aquatic toxicity (Category 2)

GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H301 + H311 Toxic if swallowed or in contact with skin

H330 Fatal if inhaled. H401 Toxic to aquatic life.

Precautionary statement(s)

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P280 Wear protective gloves/ protective clothing.

P284 Wear respiratory protection.

P310 Immediately call a POISON CENTER or doctor/ physician.

HMIS Classification

Health hazard: 3
Flammability: 0
Physical hazards: 0

NFPA Rating

Health hazard: 3 Fire: 2 Reactivity Hazard: 0

Potential Health Effects

Inhalation May be fatal if inhaled. May cause respiratory tract irritation.Skin Toxic if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation. **Ingestion** Toxic if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : 4-Methylphenol

Formula : C₇H₈O Molecular Weight : 108.14 g/mol

Component		Concentration
p-Cresol		
CAS-No.	106-44-5	-
EC-No.	203-398-6	
Index-No.	604-004-00-9	
Index-No.	604-004-00-9	

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Not flammable or combustible.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Aldrich - W233706 Page 2 of 7

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

hygroscopic Air and light sensitive. Handle and store under inert gas.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis		
p-Cresol	106-44-5	TWA	5 ppm 22 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants		
Remarks	Skin contact does contribute to exposure.					
		TWA	5 ppm 22 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000		
	Skin contact does contribute to exposure.					
		TWA	5 ppm 22 mg/m3	USA. ACGIH Threshold Limit Values (TLV)		
	Skin contact does contribute to exposure.					
		TWA	2.3 ppm 10 mg/m3	USA. NIOSH Recommended Exposure Limits		
		TWA	20 mg/m3	USA. ACGIH Threshold Limit Values (TLV)		
	Upper Respiratory Tract irritation 2010 Adoption Not classifiable as a human carcinogen Danger of cutaneous absorption					

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Immersion protection Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: > 480 min

Material tested:Camatril® (Aldrich Z677442, Size M)

Splash protection Material: Nitrile rubber

Minimum layer thickness: 0.2 mm Break through time: > 30 min

Aldrich - W233706 Page 3 of 7

Material tested:Dermatril® P (Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 873000, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form crystalline Colour colourless

Safety data

pH no data available

Melting point/range: 31 - 37 °C (88 - 99 °F)

point/freezing point

Melting point/range: 32 - 34 °C (90 - 93 °F) - lit.

Boiling point 202 °C (396 °F) - lit.

Flash point 85.0 °C (185.0 °F) - closed cup

Ignition temperature 559 °C (1,038 °F)
Autoignition 559.0 °C (1,038.2 °F)

temperature

Lower explosion limit 1.1 %(V)

Vapour pressure 1.3 hPa (1.0 mmHg) at 20.0 °C (68.0 °F)

Density 1.034 g/cm3 at 25 °C (77 °F)

Water solubility no data available Partition coefficient: log Pow: 1.94

n-octanol/water

Relative vapour

no data available

density

Odour no data available
Odour Threshold no data available
Evaporation rate no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Aldrich - W233706 Page 4 of 7

Conditions to avoid

no data available

Materials to avoid

Oxidizing agents, Bases

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

LD50 Oral - rat - 207.0 mg/kg

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Olfaction:Other changes.

Behavioral:Convulsions or effect on seizure threshold. Gastrointestinal:Ulceration or bleeding from stomach.

Inhalation LC50

LC50 Inhalation - rat - 1 h - > 710 mg/m3

Dermal LD50

LD50 Dermal - rabbit - 301.0 mg/kg

Remarks: Behavioral:Tremor. Gastrointestinal:Changes in structure or function of salivary glands. Kidney, Ureter, Bladder:Other changes.

Other information on acute toxicity

no data available

Skin corrosion/irritation

Skin - rabbit - Severe skin irritation - 24 h

Serious eye damage/eye irritation

Eyes - rabbit - Severe eye irritation

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation May be fatal if inhaled. May cause respiratory tract irritation.

Ingestion Toxic if swallowed.

Skin Toxic if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation.

Signs and Symptoms of Exposure

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, laryngitis, Dizziness, Cardiovascular effects., Muscle cramps/spasms., Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting.

Synergistic effects

no data available

Additional Information

RTECS: GO6475000

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish LC50 - other fish - 16.00 - 24.00 mg/l - 24 h

LC50 - Oncorhynchus mykiss (rainbow trout) - 7.9 mg/l - 96 h

Toxicity to daphnia

LC50 - Daphnia magna (Water flea) - 1.4 mg/l - 48 h

and other aquatic invertebrates

Persistence and degradability

no data available

Bioaccumulative potential

Does not bioaccumulate.

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life.

no data available

13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3455 Class: 6.1 (8) Packing group: II

Proper shipping name: Cresols, solid Reportable Quantity (RQ): 100 lbs

Marine pollutant: No

Aldrich - W233706 Page 6 of 7

Poison Inhalation Hazard: No

IMDG

UN number: 3455 Class: 6.1 (8) Packing group: II EMS-No: F-A, S-B

Proper shipping name: CRESOLS, SOLID

Marine pollutant: No

IATA

UN number: 3455 Class: 6.1 (8) Packing group: II

Proper shipping name: Cresols, solid

15. REGULATORY INFORMATION

OSHA Hazards

Highly toxic by inhalation, Toxic by ingestion, Toxic by skin absorption

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

p-Cresol CAS-No. Revision Date 2007-07-01

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

p-Cresol	CAS-No. 106-44-5	Revision Date 2007-07-01
Pennsylvania Right To Know Components		
3, 4, 4, 5, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4,	CAS-No.	Revision Date
p-Cresol	106-44-5	2007-07-01
New Jersey Right To Know Components		
	CAS-No.	Revision Date
p-Cresol	106-44-5	2007-07-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Further information

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Aldrich - W233706 Page 7 of 7