SAFETY DATA SHEET

Version 4.8 Revision Date 07/02/2014 Print Date 09/09/2014

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Cyclohexanone

Product Number : 398241
Brand : Sigma-Aldrich
Index-No. : 606-010-00-7

CAS-No. : 108-94-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312

Skin irritation (Category 2), H315

Serious eye damage (Category 1), H318 Germ cell mutagenicity (Category 2), H341

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H226 Flammable liquid and vapour.

H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled

H315 Causes skin irritation.

H318 Causes serious eye damage.

H341 Suspected of causing genetic defects.

Precautionary statement(s)

P201 Obtain special instructions before use.

Sigma-Aldrich - 398241 Page 1 of 9

P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/ physician.
P322	Specific measures (see supplemental first aid instructions on this label).
P330	Rinse mouth.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous components

Component	Classification	Concentration
Cyclohexanone		
	Flam. Liq. 3; Acute Tox. 4;	90 - 100 %
	Skin Irrit. 2; Eye Dam. 1; Muta.	
	2; H226, H302 + H312 +	
	H332, H315, H318, H341	

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Sigma-Aldrich - 398241 Page 2 of 9

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Sigma-Aldrich - 398241 Page 3 of 9

Component	CAS-No.	Value	Control parameters	Basis		
Cyclohexanone	108-94-1	TWA	20 ppm	USA. ACGIH Threshold Limit Values (TLV)		
	Remarks	Eye & Upper Respiratory Tract irritation Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption				
		STEL	50 ppm	USA. ACGIH Threshold Limit Values (TLV)		
		Eye & Upper Respiratory Tract irritation Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption				
		TWA	25 ppm 100 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000		
		Skin notation				
		TWA	50 ppm 200 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants		
		The value in mg/m3 is approximate.				
		TWA	25 ppm 100 mg/m3	USA. NIOSH Recommended Exposure Limits		
		Potential for dermal absorption				

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis	
Cyclohexanone	108-94-1	1,2- Cyclohexane diol	80 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)	
	Remarks	End of shift at	End of shift at end of workweek			
		Cyclohexanol	8 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)	
		End of shift (As soon as possible after exposure ceases)				

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: 35 min

Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

Sigma-Aldrich - 398241 Page 4 of 9

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: clear, liquid

Colour: colourless

Odour no data available b) Odour Threshold no data available no data available d) На

Melting point/freezing e)

Melting point/range: -47 °C (-53 °F) - lit.

point

Initial boiling point and

boiling range

155 °C (311 °F) - lit.

g) Flash point 44 °C (111 °F) - closed cup

h) Evapouration rate no data available Flammability (solid, gas) no data available

Upper/lower flammability or explosive limits Upper explosion limit: 9.4 %(V) Lower explosion limit: 1.1 %(V)

4.5 hPa (3.4 mmHg) at 20 °C (68 °F) Vapour pressure

13.3 hPa (10.0 mmHg) at 38.7 °C (101.7 °F)

Vapour density 3.39 - (Air = 1.0)

0.947 g/cm3 at 25 °C (77 °F) m) Relative density

n) Water solubility 86 g/l at 20 °C (68 °F)

o) Partition coefficient: noctanol/water

log Pow: 0.81

Auto-ignition 420 °C (788 °F) at 1,013 hPa (760 mmHg) temperature

Decomposition

no data available

temperature

no data available r) Viscosity Explosive properties no data available Oxidizing properties no data available t)

Sigma-Aldrich - 398241 Page 5 of 9

9.2 Other safety information

Surface tension 35.05 mN/m at 20 °C (68 °F)

Relative vapour density 3.39 - (Air = 1.0)

10. STABILITY AND REACTIVITY

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Oxidizing agents, Plastics

10.6 Hazardous decomposition products

Other decomposition products - no data available

In the event of fire; see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - rat - 1,534 mg/kg

LC50 Inhalation - rat - 4 h - > 6.2 mg/l

LD50 Dermal - rabbit - 794 - 3,160 mg/kg

no data available

Skin corrosion/irritation

Skin - rabbit

Result: Irritating to skin.

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - rabbit

Result: Risk of serious damage to eyes. - 24 h

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

Not mutagenic in Ames Test. In vitro tests showed mutagenic effects

Ames test

S. typhimurium

Result: negative

Human

fibroblast

Result: Laboratory experiments have shown mutagenic effects.

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Cyclohexanone)

Sigma-Aldrich - 398241 Page 6 of 9

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

Specific target organ toxicity - single exposure

no data available

Acute inhalation toxicity - Breathing difficulties

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

RTECS: GW1050000

Prolonged or repeated exposure to skin causes defatting and dermatitis., Cough, Shortness of breath, Headache, Nausea, Vomiting, Incoordination., Inhalation of high concentrations may cause:, Central nervous system depression, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 820 mg/l - 24 h other aquatic invertebrates

12.2 Persistence and degradability

Biodegradability Result: 90 - 100 % - Readily biodegradable.

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

no data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Contact a licensed professional waste disposal service to dispose of this material. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

Sigma-Aldrich - 398241 Page 7 of 9

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1915 Class: 3 Packing group: III

Proper shipping name: Cyclohexanone Reportable Quantity (RQ): 5000 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN number: 1915 Class: 3 Packing group: III EMS-No: F-E, S-D

Proper shipping name: CYCLOHEXANONE

Marine pollutant: No

IATA

UN number: 1915 Class: 3 Packing group: III

Proper shipping name: Cyclohexanone

15. REGULATORY INFORMATION

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

	CAS-No.	Revision Date
Cyclohexanone	108-94-1	1993-04-24

Pennsylvania Right To Know Components

CAS-No. Revision Date Cyclohexanone 108-94-1 1993-04-24

New Jersey Right To Know Components

CAS-No. Revision Date Cyclohexanone 108-94-1 1993-04-24

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Eye Dam. Serious eye damage Flam. Liq. Flammable liquids

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H302 + H312 + Harmful if swallowed, in contact with skin or if inhaled

H332

H312 Harmful in contact with skin. H315 Causes skin irritation.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H341 Suspected of causing genetic defects.

Sigma-Aldrich - 398241 Page 8 of 9

HMIS Rating

Health hazard: 2
Chronic Health Hazard: *
Flammability: 2
Physical Hazard 0

NFPA Rating

Health hazard: 2
Fire Hazard: 2
Reactivity Hazard: 0

Further information

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.8 Revision Date: 07/02/2014 Print Date: 09/09/2014

Sigma-Aldrich - 398241 Page 9 of 9