MSDS NAME: DOW DISINFECTANT BATHROOM CLEANER III W/SCRUBBING BUBBLES

NIIN:00F046367 MSDS Number: BYMWC

=== Responsible Party ===

Company: DOW BRANDS LP

Address:9550 ZIONSVILLE ROAD

Box:68511

City: INDIANAPOLIS

State: IN

ZIP:46268-0511 Country:US

Info Phone Num:800-428-4795
Emergency Phone Num:800-428-4795

CAGE: 9V817

=== Contractor Identification ===

Company: DOW BRANDS LP

Box:68511

City: INDIANAPOLIS

State:IN ZIP:46268 Country:US

Phone: 800-428-4795

CAGE: 9V817

====== Composition/Information on Ingredients ========

Name:WATER CAS:7732-18-5 RTECS #:ZC0110000

 ${\tt Name:2-(2-BUTOXYETHYOXY)-ETHANOL,\ DIETHYLENE\ GLYCOL\ MONOBUTYL}$ 

ETHER (BUTYL CARBITOL)

CAS:112-34-5 RTECS #:KJ9100000 Fraction by Wt: <10%

Name: TETRASODIUM SALT OF ETHYLENEDIAMINETETRAACETIC ACID, SODIUM

EDTA, SODIUM (DI) ETHYLENEDIAMINE TETRAACETATE \*95-4\*

CAS:64-02-8
RTECS #:AH5075000
Fraction by Wt: <10%

Name: ISOBUTANE, 2-METHYLPROPANE

CAS:75-28-5

RTECS #:TZ4300000 Fraction by Wt: 6%

Other REC Limits:1000 PPM

OSHA PEL:1800 MG/CUM ACGIH TLV:1000 PPM

Name:QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-18-ALKYLDIMETHYL,

CHLORIDES \*95-4\*

CAS:68391-01-5

Name:QUATERNARY AMMONIUM COMPOUNDS, C12-18-ALKYL

((ETHYLPHENYL)METHYL)DIMETHYL, CHLORIDES \*95-4\* CAS:68956-79-6 Name: PERFUME Name: SURFACTANT ======= Hazards Identification =========== LD50 LC50 Mixture: ORAL LD50 (RAT): >5 G/KG Routes of Entry: Inhalation: NO Skin: NO Ingestion: NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: EYES: IRRITATION. PROLONGED CONTACT MAY IRRITATE SENSITIVE SKIN. PROLONGED EXPOSURE TO SPRAY MIST MAY CAUSE NASAL IRRITATION & BE CONSIDERED LOW IN TOXICITY BY INHALATION. EXCESSIVE EXPOSURE MAY CAUSE LIVER, KIDNEY & BLOOD EFFECTS. Explanation of Carcinogenicity: NONE Effects of Overexposure: IRRITATION ============== First Aid Measures =========================== Eyes: IMMEDIATELY FLUSH W/PLENTY OF WATER. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES. ======= Fire Fighting Measures =========== Flash Point Method: PMCC Flash Point: NONE Extinguishing Media: WATER SPRAY, CO2/FOAM. Fire Fighting Procedures: WEAR SCBA & PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard: THE PROPELLANT IS THE ONLY FLAMMABLE CONTENT. CONTAINERS MAY BURST IN A FIRE. ======= Accidental Release Measures =========== Spill Release Procedures: SMALL: ABSORB & WIPE UP/RINSE AWAY W/WATER UNTIL NO LONGER SLIPPERY. LARGE: DIKE FAR AHEAD & COLLECT FOR LATER DISPOSAL. ======== Handling and Storage ============ Handling and Storage Precautions: DON'T PUNCTURE/INCINERATE FILLED CONTAINERS. DON'T USE/STORE AT TEMP >130F WHICH MAY CAUSE BURSTING. REPLACE CAP & DISCARD EMPTY CONTAINER. Other Precautions: STORE OUT OF REACH OF CHILDREN. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: NOT USUALLY NECESSARY. Ventilation: NORMAL Protective Gloves: NOT REQUIRED Eye Protection: NOT REQUIRED Other Protective Equipment: NONE REQUIRED Supplemental Safety and Health

======== Physical/Chemical Properties ==========

Vapor Pres:36 PSIG Vapor Density:>1 Spec Gravity:1.04

pH:12.1

Solubility in Water: COMPLETE

Appearance and Odor: A WHITE FOAM WHICH BREAKS TO A PALE, YELLOW LIQUID W/PERFUMED ODOR.

Percent Volatiles by Volume:<10

======= Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:TEMP >130F

====== Disposal Considerations ===========

Waste Disposal Methods: DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

\*\*\* END OF RECORD \*\*\*