

 Close this window

SDS

Common Name: DUST MOP TREATMENT WATERBASED**Manufacturer:** ITW PRO BRANDS**SDS Revision Date:** 11/24/2014**SDS Format:** GHS-US**Grainger Item Number(s):** 2DCC4, 3U039**Manufacturer Model Number(s):**

SDS Table of Contents

Click the desired link below to jump directly to that section in the SDS.

- [1 IDENTIFICATION](#)
- [2 HAZARD\(S\) IDENTIFICATION](#)
- [3 COMPOSITION/INFORMATION ON INGREDIENTS](#)
- [4 FIRST-AID MEASURES](#)
- [5 FIRE-FIGHTING MEASURES](#)
- [6 ACCIDENTAL RELEASE MEASURES](#)
- [7 HANDLING AND STORAGE](#)
- [8 EXPOSURE CONTROLS/PERSONAL PROTECTION](#)
- [9 PHYSICAL AND CHEMICAL PROPERTIES](#)
- [10 STABILITY AND REACTIVITY](#)
- [11 TOXICOLOGICAL INFORMATION](#)
- [12 ECOLOGICAL INFORMATION](#)
- [13 DISPOSAL CONSIDERATIONS](#)
- [14 TRANSPORT INFORMATION](#)
- [15 REGULATORY INFORMATION](#)
- [16 OTHER INFORMATION](#)

ITW PRO BRANDS

SAFETY DATA SHEET

ACC. TO HCS AND GHS

PRINTING DATE: 11/24/2014

REVIEWED ON: 11/24/2014

1 IDENTIFICATION



PRODUCT IDENTIFIER:

TRADE NAME: DUST MOP TREATMENT WATERBASED

ARTICLE NUMBER: 374

APPLICATION OF THE SUBSTANCE / THE MIXTURE: MOP TREATMENT

DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

MANUFACTURER/SUPPLIER:

ITW PRO BRANDS

805 EAST OLD 56 HIGHWAY

OLATHE, KANSAS 66061

PHONE: 1-800-224-4860

EMERGENCY TELEPHONE NUMBER:
INFOTRAC EMERGENCY HOTLINE: 1-800-535-5053

2 HAZARD(S) IDENTIFICATION



CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

GHS04: GAS CYLINDER

PRESS. GAS:
H280: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

LABEL ELEMENTS:

GHS LABEL ELEMENTS:
THE PRODUCT IS CLASSIFIED AND LABELED ACCORDING TO THE GLOBALLY HARMONIZED SYSTEM (GHS).

HAZARD PICTOGRAMS:
GHS04: GAS CYLINDER

SIGNAL WORD: WARNING

HAZARD STATEMENTS:
H280: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

PRECAUTIONARY STATEMENTS:
P410+P403: PROTECT FROM SUNLIGHT. STORE IN A WELL-VENTILATED PLACE.

HAZARD DESCRIPTION:

WHMIS-SYMBOLS: A - COMPRESSED GAS

CLASSIFICATION SYSTEM:

NFPA RATINGS (SCALE 0-4):
HEALTH 0
FIRE 0
REACTIVITY 0

HMIS-RATINGS (SCALE 0-4):
HEALTH 0
FIRE 0
REACTIVITY 0

OTHER HAZARDS:

RESULTS OF PBT AND VPVB ASSESSMENT:
PBT: NOT APPLICABLE.
VPVB: NOT APPLICABLE.

3 COMPOSITION/INFORMATION ON INGREDIENTS



CHEMICAL CHARACTERIZATION: MIXTURES

DESCRIPTION:
MIXTURE OF THE SUBSTANCES LISTED BELOW WITH NONHAZARDOUS ADDITIONS.

DANGEROUS COMPONENTS:

72-28-5 ISOBUTANE FLAM. GAS 1, H220 5-10%

74-98-6

PROPANE

FLAM GAS 1, H220
PRESS. GAS, H280

1-5%

4 FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES:

GENERAL INFORMATION: TAKE AFFECTED PERSONS OUT INTO THE FRESH AIR.

AFTER INHALATION:

SUPPLY FRESH AIR; CONSULT DOCTOR IN CASE OF COMPLAINTS.

PROVIDE OXYGEN TREATMENT IF AFFECTED PERSON HAS DIFFICULTY BREATHING.

AFTER SKIN CONTACT:

IMMEDIATELY WASH WITH WATER AND SOAP AND RINSE THOROUGHLY.

IF SKIN IRRITATION CONTINUES, CONSULT A DOCTOR.

AFTER EYE CONTACT:

REMOVE CONTACT LENSES IF WORN.

RINSE OPENED EYE FOR SEVERAL MINUTES UNDER RUNNING WATER. IF SYMPTOMS PERSIST, CONSULT A DOCTOR.

AFTER SWALLOWING:

UNLIKELY ROUTE OF EXPOSURE.

RINSE OUT MOUTH AND THEN DRINK PLENTY OF WATER.

DO NOT INDUCE VOMITING; IMMEDIATELY CALL FOR MEDICAL HELP.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

HEADACHE

BREATHING DIFFICULTY

DIZZINESS

COUGHING

NAUSEA

GASTRIC OR INTESTINAL DISORDERS WHEN INGESTED.

DISORIENTATION

DANGER: DANGER OF IMPAIRED BREATHING.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

IF NECESSARY OXYGEN RESPIRATION TREATMENT.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA:

SUITABLE EXTINGUISHING AGENTS:

CO2, EXTINGUISHING POWDER OR WATER SPRAY. FIGHT LARGER FIRES WITH WATER SPRAY OR ALCOHOL RESISTANT FOAM.

FOR SAFETY REASONS UNSUITABLE EXTINGUISHING AGENTS: NONE.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

FORMATION OF TOXIC GASES IS POSSIBLE DURING HEATING OR IN CASE OF FIRE.

DANGER OF RECEPTACLES BURSTING BECAUSE OF HIGH VAPOR PRESSURE IF HEATED.

ADVICE FOR FIREFIGHTERS:

PROTECTIVE EQUIPMENT:

WEAR SELF-CONTAINED RESPIRATORY PROTECTIVE DEVICE.

WEAR FULLY PROTECTIVE SUIT.

ADDITIONAL INFORMATION: COOL ENDANGERED RECEPTACLES WITH WATER SPRAY.

6 ACCIDENTAL RELEASE MEASURES



PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:
ENSURE ADEQUATE VENTILATION.

FOR LARGE SPILLS, WEAR PROTECTIVE CLOTHING.

FOR LARGE SPILLS, USE RESPIRATORY PROTECTIVE DEVICE AGAINST THE EFFECTS
OF FUMES/DUST/AEROSOL.

ENVIRONMENTAL PRECAUTIONS:
DO NOT ALLOW PRODUCT TO REACH SEWAGE SYSTEM OR ANY WATER COURSE.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:
ABSORB LIQUID COMPONENTS WITH LIQUID-BINDING MATERIAL.
PICK UP MECHANICALLY.
DISPOSE CONTAMINATED MATERIAL AS WASTE ACCORDING TO ITEM 13.
SEND FOR RECOVERY OR DISPOSAL IN SUITABLE RECEPTACLES.

REFERENCE TO OTHER SECTIONS:
SEE SECTION 7 FOR INFORMATION ON SAFE HANDLING.
SEE SECTION 8 FOR INFORMATION ON PERSONAL PROTECTION EQUIPMENT.
SEE SECTION 13 FOR DISPOSAL INFORMATION.

7 HANDLING AND STORAGE



PRECAUTIONS FOR SAFE HANDLING:
KEEP AWAY FROM HEAT AND DIRECT SUNLIGHT.
USE ONLY IN WELL VENTILATED AREAS.
AVOID SPLASHES OR SPRAY IN ENCLOSED AREAS.

INFORMATION ABOUT PROTECTION AGAINST EXPLOSIONS AND FIRES:
DO NOT SPRAY ON A NAKED FLAME OR ANY INCANDESCENT MATERIAL.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

STORAGE:

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES:
AVOID STORAGE NEAR EXTREME HEAT, IGNITION SOURCES OR OPEN FLAME.

OBSERVE OFFICIAL REGULATIONS ON STORING PACKAGINGS WITH PRESSURIZED
CONTAINERS.

PROVIDE VENTILATION FOR RECEPTACLES.

INFORMATION ABOUT STORAGE IN ONE COMMON STORAGE FACILITY:
STORE AWAY FROM FOODSTUFFS.
STORE AWAY FROM OXIDIZING AGENTS.

FURTHER INFORMATION ABOUT STORAGE CONDITIONS:
STORE IN A COOL PLACE. HEAT WILL INCREASE PRESSURE AND MAY LEAD TO THE
RECEPTACLE BURSTING.

PROTECT FROM FROST.

SPECIFIC END USE(S): NO FURTHER RELEVANT INFORMATION AVAILABLE.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION



ADDITIONAL INFORMATION ABOUT DESIGN OF TECHNICAL SYSTEMS:
NO FURTHER DATA; SEE ITEM 7.

CONTROL PARAMETERS:

COMPONENTS WITH LIMIT VALUES THAT REQUIRE MONITORING AT THE WORKPLACE:

74-98-6 PROPANE:

PEL (USA):

LONG-TERM VALUE: 1800 MG/M3, 1000 PPM

REL (USA):

LONG-TERM VALUE: 1800 MG/M3, 1000 PPM

TLV (USA): REFER TO APPENDIX F

EL (CANADA):

LONG-TERM VALUE: 1000 PPM

EV (CANADA):

LONG-TERM VALUE: 1.000 PPM

LMPE (MEXICO):

LONG-TERM VALUE: 1000 PPM

ADDITIONAL INFORMATION:

THE LISTS THAT WERE VALID DURING THE CREATION WERE USED AS BASIS.

EXPOSURE CONTROLS:

PERSONAL PROTECTIVE EQUIPMENT:

GENERAL PROTECTIVE AND HYGIENIC MEASURES:

AVOID CLOSE OR LONG TERM CONTACT WITH THE SKIN.

THE USUAL PRECAUTIONARY MEASURES FOR HANDLING CHEMICALS SHOULD BE FOLLOWED.

KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED.

WASH HANDS BEFORE BREAKS AND AT THE END OF WORK.

AVOID CONTACT WITH THE EYES.

DO NOT INHALE GASES/FUMES/AEROSOLS.

BREATHING EQUIPMENT:

NOT REQUIRED UNDER NORMAL CONDITIONS OF USE.

FOR SPILLS, RESPIRATORY PROTECTION MAY BE ADVISABLE.

USE SUITABLE RESPIRATORY PROTECTIVE DEVICE IN CASE OF INSUFFICIENT VENTILATION.

PROTECTION OF HANDS:

WEAR PROTECTIVE GLOVES TO HANDLE CONTENTS OF DAMAGED OR LEAKING UNITS.

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/THE SUBSTANCE/THE PREPARATION.

SELECTION OF THE GLOVE MATERIAL ON CONSIDERATION OF THE PENETRATION TIMES, RATES OF DIFFUSION AND THE DEGRADATION

MATERIAL OF GLOVES:

THE SELECTION OF THE SUITABLE GLOVES DOES NOT ONLY DEPEND ON THE MATERIAL, BUT ALSO ON FURTHER MARKS OF QUALITY AND VARIES FROM MANUFACTURER TO MANUFACTURER. AS THE PRODUCT IS A PREPARATION OF SEVERAL SUBSTANCES, THE RESISTANCE OF THE GLOVE MATERIAL CAN NOT BE CALCULATED IN ADVANCE AND HAS THEREFORE TO BE CHECKED PRIOR TO THE APPLICATION.

PENETRATION TIME OF GLOVE MATERIAL:

THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.

EYE PROTECTION: SAFETY GLASSES

BODY PROTECTION: PROTECTION MAY BE REQUIRED FOR SPILLS.

LIMITATION AND SUPERVISION OF EXPOSURE INTO THE ENVIRONMENT:
NO FURTHER RELEVANT INFORMATION AVAILABLE.

9 PHYSICAL AND CHEMICAL PROPERTIES



INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

GENERAL INFORMATION:

APPEARANCE:

FORM: AEROSOL

COLOR: WHITE

ODOR: CITRUS.

ODOR THRESHOLD: NOT DETERMINED.

PH-VALUE: 9.0-10.0

CHANGE IN CONDITION:

MELTING POINT/MELTING RANGE: NOT APPLICABLE, AS AEROSOL.

BOILING POINT/BOILING RANGE: NOT APPLICABLE, AS AEROSOL.

FLASH POINT: NOT APPLICABLE, AS AEROSOL.

FLAMMABILITY (SOLID, GASEOUS): NOT APPLICABLE.

AUTO-IGNITION TEMPERATURE: NOT DETERMINED.

DECOMPOSITION TEMPERATURE: NOT DETERMINED.

AUTO IGNITING: PRODUCT IS NOT SELF-IGNITING.

DANGER OF EXPLOSION: NOT DETERMINED.

EXPLOSION LIMITS:

LOWER: NOT DETERMINED.

UPPER: NOT DETERMINED.

VAPOR PRESSURE AT 21 DEG. C (70 DEG. F): 145 PSIG

DENSITY AT 20 DEG. C (68 DEG. F): 0.99 G/CM3 (8.262 LBS/GAL)

RELATIVE DENSITY: NOT DETERMINED.

VAPOUR DENSITY: >1 (AIR=1)

EVAPORATION RATE: NOT APPLICABLE.

SOLUBILITY IN / MISCIBILITY WITH WATER: SOLUBLE.

PARTITION COEFFICIENT (N-OCTANOL/WATER): NOT DETERMINED.

VISCOSITY:

DYNAMIC: NOT DETERMINED.

KINEMATIC: NOT DETERMINED.

SOLVENT CONTENT:

VOC CONTENT: 10.00%

OTHER INFORMATION: NO FURTHER RELEVANT INFORMATION AVAILABLE.

10 STABILITY AND REACTIVITY



REACTIVITY:**CHEMICAL STABILITY:**

THERMAL DECOMPOSITION / CONDITIONS TO BE AVOIDED:
NO DECOMPOSITION IF USED AND STORED ACCORDING TO SPECIFICATIONS.

POSSIBILITY OF HAZARDOUS REACTIONS:
TOXIC FUMES MAY BE RELEASED IF HEATED ABOVE THE DECOMPOSITION POINT.
REACTS WITH STRONG ACIDS AND OXIDIZING AGENTS.

CONDITIONS TO AVOID: KEEP AWAY FROM HEAT AND DIRECT SUNLIGHT.

INCOMPATIBLE MATERIALS: NO FURTHER RELEVANT INFORMATION AVAILABLE.

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE AND CARBON DIOXIDE

11 TOXICOLOGICAL INFORMATION**INFORMATION ON TOXICOLOGICAL EFFECTS:****ACUTE TOXICITY:**

PRIMARY IRRITANT EFFECT:
ON THE SKIN: NO IRRITANT EFFECT.
ON THE EYE: NO IRRITATING EFFECT.

SENSITIZATION: NO SENSITIZING EFFECTS KNOWN.

ADDITIONAL TOXICOLOGICAL INFORMATION:**CARCINOGENIC CATEGORIES:**

IARC (INTERNATIONAL AGENCY FOR RESEARCH ON CANCER): SEE SECTION 15.

NTP (NATIONAL TOXICOLOGY PROGRAM): NONE OF THE INGREDIENTS IS LISTED.

OSHA-CA (OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION):
NONE OF THE INGREDIENTS IS LISTED.

12 ECOLOGICAL INFORMATION**TOXICITY:**

AQUATIC TOXICITY: NO FURTHER RELEVANT INFORMATION AVAILABLE.

PERSISTENCE AND DEGRADABILITY: NO FURTHER RELEVANT INFORMATION AVAILABLE.

BIOACCUMULATIVE POTENTIAL: NO FURTHER RELEVANT INFORMATION AVAILABLE.

MOBILITY IN SOIL: NO FURTHER RELEVANT INFORMATION AVAILABLE.

ECOTOXICAL EFFECTS:

REMARK:
HARMFUL TO FISH
TOXIC FOR ALGAE

ADDITIONAL ECOLOGICAL INFORMATION:

GENERAL NOTES:
DO NOT ALLOW PRODUCT TO REACH GROUND WATER, WATER COURSE OR SEWAGE SYSTEM.

DANGER TO DRINKING WATER IF EVEN SMALL QUANTITIES LEAK INTO THE GROUND.

HARMFUL TO AQUATIC ORGANISMS

DUE TO AVAILABLE DATA ON ELIMINABILITY/DECOMPOSITION AND BIOACCUMULATION POTENTIAL PROLONGED TERM DAMAGE OF THE ENVIRONMENT CAN NOT BE EXCLUDED.

RESULTS OF PBT AND VPVB ASSESSMENT:

PBT: NOT APPLICABLE.

VPVB: NOT APPLICABLE.

OTHER ADVERSE EFFECTS: NO FURTHER RELEVANT INFORMATION AVAILABLE.

13 DISPOSAL CONSIDERATIONS



WASTE TREATMENT METHODS:

RECOMMENDATION:

MUST NOT BE DISPOSED OF TOGETHER WITH HOUSEHOLD GARBAGE. DO NOT ALLOW PRODUCT TO REACH SEWAGE SYSTEM. CONTACT WASTE PROCESSORS FOR RECYCLING INFORMATION.

THE USER OF THIS MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES. RESIDUAL MATERIALS SHOULD BE TREATED AS HAZARDOUS.

UNCLEANED PACKAGINGS:

RECOMMENDATION: DISPOSAL MUST BE MADE ACCORDING TO OFFICIAL REGULATIONS.

14 TRANSPORT INFORMATION



UN-NUMBER:

DOT, ADR, IMDG, IATA: UN1950

UN PROPER SHIPPING NAME:

| LIMITED QUANTITY FOR PACKAGES LESS THAN 30 KG (66 LB) AND INNER
| PACKAGINGS LESS THAN 1 L (0.3 GAL).

DOT: AEROSOLS

ADR: 1950 AEROSOLS

IMDG: AEROSOLS

IATA: AEROSOLS, NON-FLAMMABLE

TRANSPORT HAZARD CLASS(ES):

DOT: CLASS 2.2, NON-FLAMMABLE AND NON-TOXIC GASES

CLASS: 2 GASES

LABEL: 2.2

ADR: CLASS 2.2, NON-FLAMMABLE AND NON-TOXIC GASES

CLASS: 2 5A GASES

LABEL: 2.2

IMDG: CLASS 2.2 - NON-FLAMMABLE GASES

CLASS: 2 GASES

LABEL: 2.2

IATA: CLASS 2.2, NON-FLAMMABLE AND NON-TOXIC GASES

CLASS: 2.2

LABEL: 2.2

PACKING GROUP:
DOT, ADR, IMDG, IATA: NOT REGULATED

ENVIRONMENTAL HAZARDS:
MARINE POLLUTANT: NO

SPECIAL PRECAUTIONS FOR USER:
WARNING: GASES

DANGER CODE (KEMLER):
EMS NUMBER: F-D, S-U

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE:
NOT APPLICABLE.

TRANSPORT/ADDITIONAL INFORMATION:

DOT:
QUANTITY LIMITATIONS:
ON PASSENGER AIRCRAFT/RAIL: 75 KG
ON CARGO AIRCRAFT ONLY: 150 KG

ADR:
EXCEPTED QUANTITIES (EQ):
CODE: E0
NOT PERMITTED AS EXCEPTED QUANTITY

IMDG:
LIMITED QUANTITIES (LQ): 1L

EXCEPTED QUANTITIES (EQ):
CODE: E0
NOT PERMITTED AS EXCEPTED QUANTITY

UN "MODEL REGULATION": UN1950, AEROSOLS, 2.2

15 REGULATORY INFORMATION



SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE
SUBSTANCE OR MIXTURE:

SARA:

SECTION 355 (EXTREMELY HAZARDOUS SUBSTANCES):
NONE OF THE INGREDIENTS IS LISTED.

SECTION 313 (SPECIFIC TOXIC CHEMICAL LISTINGS):
NONE OF THE INGREDIENTS ARE LISTED.

TSCA (TOXIC SUBSTANCES CONTROL ACT): ALL INGREDIENTS ARE LISTED.

PROPOSITION 65 (CALIFORNIA):

CHEMICALS KNOWN TO CAUSE CANCER: NONE OF THE INGREDIENTS ARE LISTED.

CHEMICALS KNOWN TO CAUSE REPRODUCTIVE TOXICITY FOR FEMALES:
NONE OF THE INGREDIENTS ARE LISTED.

CHEMICALS KNOWN TO CAUSE REPRODUCTIVE TOXICITY FOR MALES:
NONE OF THE INGREDIENTS IS LISTED.

CHEMICALS KNOWN TO CAUSE DEVELOPMENTAL TOXICITY:
NONE OF THE INGREDIENTS IS LISTED.

CARCINOGENIC CATEGORIES:

EPA (ENVIRONMENTAL PROTECTION AGENCY): NONE OF THE INGREDIENTS IS LISTED.

IARC (INTERNATIONAL AGENCY FOR RESEARCH ON CANCER):
NONE OF THE INGREDIENTS IS LISTED.

TLV (THRESHOLD LIMIT VALUE ESTABLISHED BY ACGIH):
NONE OF THE INGREDIENTS IS LISTED.

NIOSH-CA (NATIONAL INSTITUTE FOR OCCUPATIONAL SAFETY AND HEALTH):
NONE OF THE INGREDIENTS IS LISTED.

STATE RIGHT TO KNOW LISTINGS: SOME INGREDIENTS LISTED.

CANADIAN SUBSTANCE LISTINGS:

CANADIAN DOMESTIC SUBSTANCES LIST (DSL): ALL INGREDIENTS ARE LISTED.

CANADIAN INGREDIENT DISCLOSURE LIST (LIMIT 0.1%):
NONE OF THE INGREDIENTS IS LISTED.

CANADIAN INGREDIENT DISCLOSURE LIST (LIMIT 1%):
NONE OF THE INGREDIENTS IS LISTED.

OTHER REGULATIONS, LIMITATIONS AND PROHIBITIVE REGULATIONS:
THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH HAZARD CRITERIA OF THE
CONTROLLED PRODUCTS REGULATIONS AND THE SDS CONTAINS ALL THE INFORMATION
REQUIRED BY THE CONTROLLED PRODUCTS REGULATIONS.

CHEMICAL SAFETY ASSESSMENT:
A CHEMICAL SAFETY ASSESSMENT HAS NOT BEEN CARRIED OUT.

16 OTHER INFORMATION

THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS SHALL
NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT
ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP.

DATE OF PREPARATION / LAST REVISION: 11/24/2014 /

ABBREVIATIONS AND ACRONYMS:

ADR:

ACCORD EUROPEEN SUR LE TRANSPORT DES MARCHANDISES DANGEREUSES PAR ROUTE
(EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS
GOODS BY ROAD)

IMDG: INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS

DOT: US DEPARTMENT OF TRANSPORTATION

IATA: INTERNATIONAL AIR TRANSPORT ASSOCIATION

ACGIH: AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS

EINECS: EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES

ELINCS: EUROPEAN LIST OF NOTIFIED CHEMICAL SUBSTANCES

CAS: CHEMICAL ABSTRACTS SERVICE (DIVISION OF THE AMERICAN CHEMICAL SOCIETY)

NFPA: NATIONAL FIRE PROTECTION ASSOCIATION (USA)

HMIS: HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (USA)

WHMIS: WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM (CANADA)

VOC: VOLATILE ORGANIC COMPOUNDS (USA, EU)

FLAM. GAS 1: FLAMMABLE GASES, HAZARD CATEGORY 1

PRESS. GAS:
GASES UNDER PRESSURE: COMPRESSED GAS

SOURCES:

SDS PREPARED BY:
CHEMTEL INC.
1305 NORTH FLORIDA AVENUE
TAMPA, FLORIDA 33602-2902
USA

TOLL FREE NORTH AMERICA: 1-888-255-3924

INTL.: +01 813-248-0573

WEBSITE: WWW.CHEMTELINE.COM