

Material Safety Data Sheet

SECTION I - Material Identity
SECTION II - Manufacturer's Information
SECTION III - Physical/Chemical Characteristics
SECTION IV - Fire and Explosion Hazard Data
SECTION V - Reactivity Data
SECTION VI - Health Hazard Data
SECTION VII - Precautions for Safe Handling and Use
SECTION VIII - Control Measures
SECTION IX - Label Data
SECTION X - Transportation Data
SECTION XI - Site Specific/Reporting Information
SECTION XII - Ingredients/Identity Information

SECTION I - Material Identity

Item Name	
Part Number/Trade Name	DV 16 OMNI-PAK MASTERBLEND EZ TOUCH
National Stock Number	8010013633373
CAGE Code	SHERW
Part Number Indicator	A
MSDS Number	193842
HAZ Code	B

SECTION II - Manufacturer's Information

Manufacturer Name	THE SHERWIN-WILLIAMS COMPANY
Street	CONSUMER GROUP - INDUSTRIAL
City	CLEVELAND
State	OH
Country	US
Zip Code	44115
Emergency Phone	216-566-2917
Information Phone	800-251-2486

MSDS Preparer's Information

Date MSDS Prepared/Revised	05NOV03
Active Indicator	Y

Alternate Vendors

SECTION III - Physical/Chemical Characteristics

Appearance/Odor	LIQUID
Boiling Point	<0 - 342 F
Melting Point	NA
Vapor Density	>AIR
Specific Gravity	0.70
Evaporation Rate	>ETHER
Solubility in Water	NA
Percent Volatiles by Volume	100
Container Type	R
Container Pressure Code	4
Temperature Code	5
Product State Code	U

SECTION IV - Fire and Explosion Hazard Data

Flash Point	0
Flash Point Method	UNK
Lower Explosion Limit	1.0
Upper Explosion Limit	12.8
Extinguishing Media	CARBON DIOXIDE, DRY CHEMICAL, FOAM
Special Fire Fighting Procedures	FULL PROTECTIVE EQUIPMENT INCLUDING SCBA SHOULD BE USED. WATER SPRAY MAY BE INEFFECTIVE. IF WATER IS USED, FOG NOZZLES ARE PREFERABLE. WATER MAY BE USED COOL CLOSED CONTAINERS TO PREVENT PRESSURE BUILD-UP & POSSIBLE AUTOIGNITION OR EXPLOSION WHEN EXPOSED TO EXTREME HEAT
Unusual Fire/Explosion Hazards	CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT. APPLICATION TO HOT SURFACES REQUIRES SPECIAL PRECAUTIONS. DURING EMERGENCY CONDITIONS OVEREXPOSURE TO DECOMPOSITION PRODUCTS MAY CAUSE A HEALTH HAZARD. SYMPTOMS MAY NOT BE IMMEDIATE. OBTAIN SPECIAL MED. ATTENTION

SECTION V - Reactivity Data

Stability	YES
Stability Conditions to Avoid	NONE KNOWN
Materials to Avoid	NONE KNOWN
Hazardous Decomposition Products	CARBON DIOXIDE, CARBON MONOXIDE
Hazardous Polymerization	NO
Polymerization Conditions to Avoid	WILL NOT OCCUR

SECTION VI - Health Hazard Data

Route of Entry: Skin	YES
Route of Entry: Ingestion	U
Route of Entry: Inhalation	YES
Health Hazards - Acute and Chronic	[EYE] IRRITATION [SKIN] PROLONGED OR REPEATED EXPOSURE MAY CAUSE IRRITATION. [INHALE] IRRITATION OF THE UPPER RESPIRATORY SYSTEM. MAY CAUSE NERVOUS SYSTEM DEPRESSION

Carcinogenity: NTP	NO
Carcinogenity: IARC	NO
Carcinogenity: OSHA	NO
Symptoms of Overexposure	HEADACHE, DIZZINESS, NAUSEA, & LOSS OF COORDINATION ARE INDICATIONS OF EXCESSIVE EXPOSURE TO VAPORS OR SPRAY MISTS. REDNESS & ITCHING OR BURNING SENSATION MAY INDICATE EYE OR EXCESSIVE SKIN EXPOSURE
Emergency/First Aid Procedures	[EYE] FLUSH W/ LARGE AMOUNTS OF WATER FOR 15 MIN. GET MED. ATTN. [SKIN] WASH AFFECTED AREA THOROUGHLY W/ SOAP & WATER. REMOVE CONTAMINATED CLOTHING & LAUNDRER BEFORE REUSE. [INHALE] REMOVE FROM EXPOSURE. RESTORE BREATHING. KEEP WARM & QUIET [INGEST] DO NOT INDUCE VOMITING. GET IMMED. MED. ATTN

SECTION VII - Precautions for Safe Handling and Use

Steps if Material Released/Spilled	REMOVE ALL SOURCES OF IGNITION. VENTILATE THE AREA. REMOVE W/ INERT ABSORBENT
Waste Disposal Method	WASTE MAY BE HAZARDOUS. WASTE MUST BE TESTED FOR IGNITABILITY TO DETERMINE THE APPLICABLE EPA HAZARDOUS WASTE NUMBERS. DO NOT INCINERATE. DEPRESSURIZE CONTAINER. DISPOSE OF IN ACCORDANCE W/ FED, STATE, & LOCAL REGS
Handling and Storage Precautions	KEEP AWAY FROM HEAT, SPARKS, & OPEN FLAME. VAPORS WILL ACCUMULATE READILY & MAY IGNITE EXPLOSIVELY. DURING USE & UNTIL ALL VAPORS ARE GONE: KEEP AREA VENTILATED. DO NOT SMOKE - EXTINGUISH ALL FLAMES, PILOT LIGHTS, AND HEATERS - TURN OFF STOVES, ELECTRIC TOOLS & APPLIANCES, & ANY OTHER SOURCE
Other Precautions	USE APPROVED BONDING AND GROUNDING PROCEDURES. DO NOT PUNCTURE, INCINERATE, OR EXPOSE TO TEMP. ABOVE 120°F. HEAT FROM SUNLIGHT, RADIATORS, STOVES, HOT WATER, & OTHER HEAT SOURCES COULD CAUSE CONTAINER TO BURST. DO NOT TAKE INTERNALLY. KEEP OUT OF THE REACH OF CHILDREN

SECTION VIII - Control Measures

Respiratory Protection	IF PERSONAL EXPOSURE CANNOT BE CONTROLLED, WEAR A PROPERLY FITTED ORGANIC VAPOR/PARTICULATE RESPIRATOR APPROVED BY NIOSH/MSHA
Ventilation	LOCAL EXHAUST PREFERABLE
Protective Gloves	NONE REQUIRED FOR NORMAL APPLICATION
Eye Protection	WEAR SAFETY SPECTACLES W/ UNPERFORATED SIDESHIELDS

SECTION IX - Label Data

Protect Eye	NO
Protect Skin	NO
Protect Respiratory	NO
Chronic Indicator	UNKNOWN

Contact Code	UNKNOWN
Fire Code	UNKNOWN
Health Code	UNKNOWN
React Code	UNKNOWN

SECTION X - Transportation Data

Container Quantity	1
Unit of Measure	PT

SECTION XI - Site Specific/Reporting Information

Volatile Organic Compounds (P/G)	5.7911
Volatile Organic Compounds (G/L)	693.9987

SECTION XII - Ingredients/Identity Information

Ingredient #	01
Ingredient Name	PROPANE
CAS Number	74986
Percent	25
OSHA PEL	1000 PPM
ACGIH TLV	2500 PPM
Ingredient #	02
Ingredient Name	2-PROPANONE
CAS Number	67641
Percent	65
OSHA PEL	1000 PPM
ACGIH TLV	500 PPM
Ingredient #	03
Ingredient Name	2-BUTANONE
CAS Number	78933
Percent	9
OSHA PEL	200 PPM
ACGIH TLV	200 PPM
Ingredient #	04
Ingredient Name	*ETHYL 3-ETHOXY PROPIONATE
CAS Number	763699
Percent	1
OSHA PEL	NA
ACGIH TLV	NA
