PROMEDYNE IODOPHOR STAIN NEUTRALIZE/REMOVER

Physical and

Chemical Properties

Stability and

Product and Company

Identification

Composition/Information on

Ingredients

Hazards Identification First Aid Measures

Fire Fighting Measures Accidental Release Measures

Handling and Storage

Exposure Controls/Personal

Protection

Reactivity

Toxicological

Information Ecological

Information

Disposal

Considerations

Transport

Information

Regulatory Information

Other

Information / Hazmat Info / Hazcom Label

SOSHA Safety Signs and Labels at Seton.com

MSDS Safety Information

FSC: 6520

12/01/1987 **MSDS Date:**

MSDS Num: BHSJL F BT **Submitter:**

> LIIN: 00F010330

Tech Review: 05/09/1990

Status CD: \mathbf{C}

> MFN: 01 N **Article:**

Kit Part: N

Responsible Party FO492

> Name: COTTRELL, LTD, CENTRAL DENTAL

7399 SOUTH TUCSON WAY **Address:**

N/K Box:

ENGLEWOOD City:

CO State:

Zip: 80112

NK **Country:**

Info Phone Number (303) 799-9401 **Emergency Phone Number** (303) 799-9401

Preparer's Name: N/P
Proprietary Ind: N
Review Ind: Y

Published: Y

Special Project CD: N

Preparer Company when other than Responsible Party Company

Cage: <u>FO492</u>

Assigned Ind: Y

Name: COTTRELL, LTD, CENTRAL DENTAL

Address: 7399 SOUTH TUCSON WAY

Box: N/K

City: ENGLEWOOD

 State:
 CO

 Zip:
 80112

 Cage:
 5Z778

Address: 7399 S TUCSON WAY

City: ENGLEWOOD

State: CO
Zip: 80112
Country: US

Phone: 303-799-9401

Cage: <u>FO492</u>

Address: 7399 SOUTH TUCSON WAY

Box: N/K

City: ENGLEWOOD

State: CO
Zip: 80112
Country: NK

Phone: (303) 799-9401

Ingredients

Cas: 7772-98-7

Code: M

RTECS #: XN6476000

Code: M

Environmental Wt:

Other REC Limits: N/K

> **OSHA PEL:** N/K

> > Code: M

Code:

Code: M

Code:

Ozone Depleting Chemical: N

Health Hazards Data

LD50 LC50 Mixture N/K

Route Of Entry Inds -YES

Inhalation:

Skin: YES

YES **Ingestion:**

Carcinogenicity Inds - NTP: NO

> NO **IARC:**

OSHA: NO

Health Hazards Acute And INHALATION: IRRITATION TO RESPIRATORY

> Chronic TRACT. INGESTION: IRRITATION TO

> > GASTROINTESTINAL TRACT. SKIN/EYES:

IRRITATION & TEMPORARY CONJUNCTIVITIS.

Explanation Of

Carcinogenicity

Signs And Symptions Of INHALATION: IRRITATION TO RESPIRATORY

Overexposure TRACT. INGESTION: IRRITATION TO

GASTROINTESTINAL TRACT. SKIN/EYES:

IRRITATION & TEMPORARY CONJUNCTIVITIS.

Medical Cond Aggravated By

Exposure

N/K

NONE

First Aid

INHALATION: REMOVE TO FRESH AIR. IF SHORT OF BREATH, GIVE OXYGEN, PROVIDED A QUALIFIED OPERATOR IS PRESENT. GET MED ATTN. SKIN: WASH W/SOAP & WATER. EYES: FLUSH W/WATER FOR AT LEAST 15 MINUTES. GET MED ATTN. INGESTION: DRINK 2 OR 4 GLASSES OF WATER & INDCE VOMITING. GET MED ATTN.

Spill Release Procedures

SHOVEL UP DRY CHEMICAL INTO AN EMPTY CONTAINER & COVER. SPRAY RESIDUE

W/PLENTY OF WATER.

Neutralizing Agent

N/K

Waste Disposal Methods

Handling and Storage Precautions

Other Precautions KEEP CONTAINER CLOSED & PROTECT FROM

PHYSICAL DAMAGE.WHEN DISSOLVING &

STIRRING, ADD WATER CAUTIOUSLY; SOLUTION CAN GET HOT &SPATTER. DON'T WEAR CONTACT

LENSES.

Fire and Explosion Hazard Information

Flash Point Method: N/P

Flash Point:

Flash Point Text: NOT FLAMMABLE

Autoignition Temp:

Autoignition Temp Text: N/A

Lower Limits: N/R
Upper Limits: N/R

Extinguishing Media CHOOSE EXTINGUISHING AGENT BEST FOR

SURROUNDING FIRE. MATERIAL ITSELF IS NOT

FLAMMABLE.

Fire Fighting Procedures WEAR NIOSH-APPROVED SELF-CONTAINED

BREATHING APPARATUS, PLUS EQUIPMENT TO PROTECT SKIN & EYES. USE WATER SPRAY TO KEEP CONTAINERS COOL, & TO KNOCK DOWN

FUMES.

Unusual Fire/Explosion

Hazard S

AT HIGH TEMPERATURES, MATERIAL YIELDS SULFUR DIOXIDE GAS & FLAMMABLE SODIUM

SULFIDE RESIDUE.

Control Measures

Ventilation PROVIDE LOCAL EXHAUST VENTILATION TO

HANDLE DUST, MIST & SULFUR DIOXIDE.

Protective Gloves IMPERVIOUS, COTTON

N/K

Eye Protection SAFETY GLASSES

Other Protective Equipment LONG SLEEVED/IMPERVIOUS CLOTHING/APRON,

EYE WASH FACILITY, HARD HAT

Work Hygienic Practices

DON'T WEAR CONTACT LENSES

Supplemental Safety and

Health

Physical/Chemical Properties

HCC:

NRC/State LIC No:

Net Prop WT For Ammo: Boiling Point:

B.P. Text: 100C

Reactivity Data

Stability Indicator: YES

Stability Condition To Avoid: HIGH TEMPERATURES 100C

Materials To Avoid: STRONG OXIDIZERS, ACIDS, & WATER-REACTIVE

MATERIALS SUCH AS SODIUM

Hazardous Decomposition SULFUR DIOXIDE GAS, SODIUM SULFIDE

NO

Products: RESIDUE

Hazardous Polymerization

Indicator:

Toxicological Information

Toxicological Information: N/P

Ecological Information

Ecological: N/P

MSDS Transport Information

Transport Information: N/P

Regulatory Information

Sara Title III Information: N/P

Federal Regulatory N/P

Information:

State Regulatory Information: N/P

Other Information

Other Information: N/P

HMIS HAZCOM Label

Product Name: PROMEDYNE IODOPHOR STAIN

NEUTRALIZE/REMOVER

Cage: <u>FO492</u>

Assigned IND: Y

Company Name: COTTRELL, LTD, CENTRAL DENTAL

Street: 7399 SOUTH TUCSON WAY

PO Box: N/K

City: ENGLEWOOD

State: CO
Zipcode: 80112
Country: NK

Health Emergency Phone: (303) 799-9401

Label Required IND: Y

Date Of Label Review: 12/16/1998

Status Code: C

MFG Label NO:

Label Date: 12/16/1998

Year Procured: N/K
Origination Code: G
Chronic Hazard IND: N/P
Eye Protection IND: N/P

Skin Protection IND: N/P

Signal Word: N/P

Respiratory Protection IND: N/P

Health Hazard:

Contact Hazard:

Fire Hazard:

Reactivity Hazard:

This information is derived from the Hazardous Material Information System which is utilized by the U.S. Department of Defense. IntraWEB, LLC and its Distributors in no manner whatsoever, expressly or implied warrants, states, or intends said information to have any application use or viability by or to any person or persons. Any person utilizing this information should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.