Page 1 of 6

# MATERIAL SAFETY DATA SHEET

# **SECTION 1: IDENTIFICATION**

Product identifier : JACK OIL

Product Use : Hydraulic oil
Chemical Family : Mixture.
Manufacturer part no. : J132C

Supplier's name and address: Manufacturer's name and address:

Radiator Specialty Co., of Canada Refer to Supplier

1711 Aimco Blvd.

Mississauga, ON, Canada

L4W 1H7

Information Telephone # : (905) 625-9117 (Monday - Friday, 9AM - 5PM)

**24 Hr. Emergency Tel #** : 613-996-6666 (CANUTEC)

#### SECTION 2 - HAZARDS IDENTIFICATION

Classification : WHMIS information: This product is not a WHMIS controlled product in Canada. It

does not meet any of the criteria for a controlled product provided in Part IV of the

Controlled Products Regulations (CPR).



**Emergency Overview** : Clear amber liquid. Petroleum odour.

Fumes from heated product or mists may irritate respiratory tract. May cause mild eye irritation.

Prolonged or repeated skin contact may cause drying and irritation.

# **POTENTIAL HEALTH EFFECTS:**

## Signs and symptoms of short-term (acute) exposure

Inhalation: If product is heated or mists are formed, inhalation may cause irritation to the nose, throat and

respiratory tract.

Skin : Direct skin contact may result in little or no irritation.

*Eyes* : May cause mild transient irritation.

Ingestion: May cause irritation of mouth, throat, and stomach. May cause nausea, vomiting, and diarrhea.

#### Effects of long-term (chronic) exposure

: Prolonged skin contact may cause dermatitis (rash), characterized by red, dry, itching

skin.

Carcinogenic status : See TOXICOLOGICAL INFORMATION, Section 11.

Additional health hazards : See TOXICOLOGICAL INFORMATION, Section 11.

Potential environmental effects

: See ECOLOGICAL INFORMATION, Section 12.

## SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredients</u>	CAS#	Wt.%
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	60.00 - 100.00
Zinc compounds	*N/Av	< 0.3%

<sup>\*</sup>Note:: The specific identity of this component is considered proprietary information.

## SECTION 4 - FIRST AID MEASURES

Inhalation : If inhaled, move to fresh air. If breathing has stopped, give artificial respiration.

Consult a physician.

JACK OIL J132C

MSDS Revision Date (mm/dd/yyyy): 07/20/2010

Skin contact : Remove contaminated clothing. Wash off with soap and plenty of water. If irritation

persists, seek prompt medical attention.

Eye contact : Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists,

seek prompt medical attention.

Ingestion : Do not induce vomiting. Never give anything by mouth to an unconscious person. Get

medical attention.

Notes For Physician : Treat symptomatically.

## **SECTION 5 - FIRE FIGHTING MEASURES**

#### Fire hazards/conditions of flammability

: Not flammable under normal conditions of use. However, may ignite if exposed to extreme heat and flame. Product may float, and be re-ignited at the water's surface. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Vapours are heavier than air and collect in confined and low-lying

Page 2 of 6

areas.

Oxidizing properties : None known.

Explosion data: Sensitivity to mechanical impact / static discharge

: Not expected to be sensitive to mechanical impact or static discharge.

Suitable extinguishing media : Dry chemical, foam, carbon dioxide and water fog. Do not use water jet, as this may

spread burning material.

Special fire-fighting procedures/equipment

: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed

to heat and flame.

Hazardous combustion products

: Carbon oxides; Phosphorus compounds; nitrogen oxides (NOx); Polycyclic aromatic hydrocarbons; Sulphur oxides; other unidentified organic compounds.

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions : All persons dealing with the clean-up should wear the appropriate chemically protective

equipment. Keep all other personnel upwind and away from the spill/release. Restrict access to area until completion of clean-up. Refer to protective measures listed in

sections 7 and 8.

Environmental precautions : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces.

For large spills, dike the area to prevent spreading.

Spill response/cleanup : Ventilate area of release. Remove all sources of ignition. Contain and absorb spilled

liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Notify the appropriate

authorities as required.

**Prohibited materials**: Do not use combustible absorbents, such as sawdust.

#### SECTION 7 - HANDLING AND STORAGE

Safe Handling procedures : Use with adequate ventilation. Wear suitable protective equipment during handling.

Avoid breathing vapours. Avoid contact with skin, eyes and clothing. Keep away from extreme heat and flame. Avoid contact with incompatible materials. Wash thoroughly

after handling. Keep container tightly closed when not in use.

Storage requirements : Store in a cool, dry, well-ventilated area. Storage area should be clearly identified, clear

of obstruction and accessible only to trained and authorized personnel. Inspect

periodically for damage or leaks.

Incompatible materials : Strong oxidizing agents.

Special packaging materials : Always keep in containers made of the same materials as the supply container.

## SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

JACK OIL

MSDS Revision Date (mm/dd/yyyy): 07/20/2010

Exposure Limits					
	ACGII	ACGIH TLV		OSHA PEL	
<u>Ingredients</u>	TWA	<u>STEL</u>	PEL	STEL	
Distillates (petroleum), hydrotreated heavy naphthenic	5 mg/m³ (As 'Oil mist, mineral')	N/Av	5 mg/m³ (As 'Oil mist, mineral')	N/Av	
Zinc compounds	N/Av	N/Av	N/Av	N/Av	

Ventilation and engineering measures

: Use in a well-ventilated area. Use general or local exhaust ventilation to maintain air

concentrations below recommended exposure limits.

Respiratory protection : If the TLV is exceeded, a NIOSH/MSHA-approved respirator is advised. Advice should

be sought from respiratory protection specialists.

**Skin protection** : Gloves impervious to the material are recommended. Advice should be sought from

glove suppliers.

Eye / face protection : Safety glasses with side-shields or chemical splash goggles.

Other protective equipment : Depending on conditions of use, an impervious apron should be worn. An eyewash

station and safety shower should be made available in the immediate working area.

General hygiene considerations

 Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink, smoke or use cosmetics while working with this product. Remove and wash

contaminated clothing before re-use. Wash thoroughly after handling.

### SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid Appearance : Light amber liquid.

Odour : Petroleum odour. Odour threshold : N/Av

pH : N/Av

Boiling point : 240.5°C Specific gravity : 0.895 @ 20°C

Melting/Freezing point : N/Av Coefficient of water/oil distribution

: N/Av

Vapour pressure (mmHg @ 20° C / 68° F) Solubility in water : Insoluble.

: 0.008

Vapour density (Air = 1) : 4.3 Evaporation rate (n-Butyl acetate = 1)

· < 1

Volatile organic Compounds (VOC's)

Volatiles (% by weight) : N/Av

: N/Av

Flash point : 160°C

Flash point Method : Cleveland Open Cup Auto-ignition temperature : Not available.

Lower flammable limit (% by vol.)

Upper flammable limit (% by vol.)
: N/Av :

: N/Av

Flame Projection Length : N/Ap Flashback observed : N/Ap

Absolute pressure of container

Viscosity : N/Av

: N/Ap

General Information : No additional information.

### Section 10: STABILITY AND REACTIVITY

Stability and reactivity : Stable under the recommended storage and handling conditions prescribed.

Hazardous polymerization : Hazardous polymerisation does not occur.

Conditions to avoid : Avoid heat and open flame.

Materials To Avoid And Incompatibility

: See Section 7 (Handling and Storage) for further details.

Hazardous decomposition products

: None known, refer to hazardous combustion products in Section 5.

### SECTION 11 - TOXICOLOGICAL INFORMATION

Target organs : Eyes, skin, respiratory system and digestive system.

Routes of exposure : Inhalation: YES Skin Absorption: NO Skin & Eyes: YES Ingestion: YES

J132C JACK OIL

MSDS Revision Date (mm/dd/yyyy): 07/20/2010

Page 4 of 6

Irritancy : May be mildly irritating to eyes and skin.

Toxicological data There is no available data for the product itself, only for the ingredients.

See below for individual ingredient acute toxicity data.

	LC <sub>50</sub> (4hr)	LD50	
<u>Ingredients</u>	<u>inh, rat</u>	(Oral, rat)	(Rabbit, dermal)
Distillates (petroleum), hydrotreated heavy naphthenic	2180mg/m³ (mist)	> 5000 mg/kg	> 2000 mg/kg
Zinc compounds	N/Av	N/Av	N/Av

No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP. Carcinogenic status

> Use caution when pouring this material. This product can generate a complex mixture of airbourne material during heating or in a fire. This combustion material can include

carcinogenic polycyclic aromatic hydrocarbons.

Reproductive effects Not expected to have other reproductive effects.

Not expected to be a teratogen. Teratogenicity

Mutagenicity Not expected to be mutagenic in humans. **Epidemiology** None known or reported by the manufacturer.

Not expected to be a skin or respiratory sensitizer. Sensitization to material Synergistic materials None known or reported by the manufacturer. : None known or reported by the manufacturer. other important hazards

Conditions aggravated by overexposure

: Pre-existing skin and respiratory disorders.

# **SECTION 12 - ECOLOGICAL INFORMATION**

**Ecotoxicity** : The ecological characteristics of this product have not been fully investigated.

The product should not be allowed to enter drains or water courses, or be deposited

where it can affect ground or surface waters.

Mobility No data is available on the product itself. No data is available on the product itself. Persistence Bioaccumulation potential No data is available on the product itself.

Other Adverse Environmental effects

: No data is available on the product itself.

## SECTION 13 - DISPOSAL CONSIDERATIONS

**Handling for Disposal** : Handle waste according to recommendations in Section 7.

**Methods of Disposal** : Dispose of in accordance with federal, provincial and local hazardous waste laws.

# **SECTION 14: TRANPORT INFORMATION**

Regulatory Information	UN Number	Shipping Name	Class	Packing Group	Label
TDG	None	Not regulated.	not regulated	none	$\bigotimes$
TDG Additional information	None.				

# SECTION 15 - REGULATORY INFORMATION

#### Labelling:

This product is not a WHMIS controlled product in Canada. As such, this product does not require a WHMIS Supplier label.

### **Canadian Information:**

MSDS Revision Date (mm/dd/yyyy): 07/20/2010

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

#### **US Federal Information:**

TSCA: All listed ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

#### **SECTION 16 - OTHER INFORMATION**

Legend : ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Services
HSDB: Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer

Inh: Inhalation

LC: Lethal Concentration

LD: Lethal Dose

MSHA: Mine Safety and Health Administration

N/Ap: Not Applicable N/Av: Not Available

NIOSH: National Institute of Occupational Safety and Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PEL: Permissible exposure limit

RTECS: Registry of Toxic Effects of Chemical Substances

STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System

References : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents &

Biological Exposure Indices for 2010.

2. International Agency for Research on Cancer Monographs, searched 2010.

3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2010

(Chempendium, HSDB and RTECs).

4. Material Safety Data Sheets from manufacturer.

### Prepared for:

Radiator Specialty Co. of Canada

1711 Aimco Blvd.

Mississauga, ON, Canada, L4W 1H7

Telephone: 905-625-9117 (Mon. - Fri., 9 AM - 5 PM) Please direct all enquiries to Radiator Specialty.

#### Prepared by:

ICC The Compliance Center Inc.

http://www.thecompliancecenter.com



Page 5 of 6

# DISCLAIMER OF LIABILITY

This Material Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Radiator Specialty Co. of Canada and CCOHS' Web Information Service. The information in the Material Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Radiator Specialty Co. of Canada expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this MSDS does not apply to use with any other product or in any other process.

This Material Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Radiator Specialty Co. of Canada.

JACK OIL J132C

MSDS Revision Date (mm/dd/yyyy): 07/20/2010 Page 6 of 6

: 07/26/2007

MSDS Revision Date (mm/dd/yyyy)

: 07/20/2010

Revision No. : 2

**Revision Information** : Sections 2 and 3, switched.

(M)SDS sections updated:

- 2. HAZARDS IDENTIFICATION;
- 3. COMPOSITION/INFORMATION ON INGREDIENTS;
- 5. FIRE-FIGHTING MEASURES;
- 8. EXPOSURE CONTROLS / PERSONAL PROTECTION;
- 9. PHYSICAL AND CHEMICAL PROPERTIES;
- 11. TOXICOLOGICAL INFORMATION; 12. ECOLOGICAL INFORMATION;
- 15. REGULATORY INFORMATION.

## END OF DOCUMENT