SAFETY DATA SHEET

Version 4.13 Revision Date 08/13/2014 Print Date 09/09/2014

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Paraformaldehyde

Product Number : P6148

Brand : Sigma-Aldrich

CAS-No. : 30525-89-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street

SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable solids (Category 2), H228 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332

Skin irritation (Category 2), H315 Serious eye damage (Category 1), H318 Skin sensitisation (Category 1), H317

Carcinogenicity (Category 2), H351

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Acute aquatic toxicity (Category 3), H402 Chronic aquatic toxicity (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H228 Flammable solid.

H302 + H332 Harmful if swallowed or if inhaled

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

H351 H412	Suspected of causing cancer. Harmful to aquatic life with long lasting effects.	
	naminui to aquatic life with long lasting effects.	
Precautionary statement(s)		
P201	Obtain special instructions before use.	
P202	Do not handle until all safety precautions have been read and	
D040	understood.	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.	
P240 P241	Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment.	
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.	
P264	Wash skin thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P271	Use only outdoors or in a well-ventilated area.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/ protective clothing/ eye protection/ face	
	protection.	
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you	
	feel unwell.	
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.	
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove	
	contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER or doctor/ physician.	
P321	Specific treatment (see supplemental first aid instructions on this label).	
P330	Rinse mouth.	
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.	
P362	Take off contaminated clothing and wash before reuse.	
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.	
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.	
P405	Store locked up.	
P501	Dispose of contents/ container to an approved waste disposal plant.	

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Combustible dust

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms : Polyoxymethylene

Formula : HO(CH2O)nH Molecular weight : 30.03 g/mol CAS-No. : 30525-89-4

Hazardous components

Component	Classification	Concentration
Paraformaldehyde		
•	Flam. Sol. 2; Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; Skin Sens. 1; Carc. 2; STOT SE 3; Aquatic Acute 3; Aquatic Chronic 3; H228, H302 + H332, H315, H317, H318, H335, H351, H412	90 - 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma-Aldrich - P6148 Page 2 of 9

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Sigma-Aldrich - P6148 Page 3 of 9

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Recommended storage temperature 2 - 8 °C

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Sigma-Aldrich - P6148 Page 4 of 9

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Form: crystalline

b) Odour pungent

Odour Threshold No data available c)

4.0 - 5.5d) рН

Melting point/freezing

point

Melting point/range: 120 - 170 °C (248 - 338 °F) - lit.

Initial boiling point and

boiling range

No data available

Flash point 70 °C (158 °F) - closed cup

h) Evaporation rate No data available

Flammability (solid, gas) May form combustible dust concentrations in air

Upper/lower

flammability or explosive limits No data available

k) Vapour pressure No data available Vapour density No data available

m) Relative density 0.88 g/cm3 at 25 °C (77 °F)

Water solubility insoluble

Partition coefficient: n-

octanol/water

No data available

Auto-ignition

temperature

No data available

Decomposition

temperature

No data available

r) Viscosity No data available s) Explosive properties

No data available

Oxidizing properties

No data available

9.2 Other safety information

> **Bulk density** 500 - 800 kg/m3

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

Chemical stability 10.2

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Exposure to moisture.

Heat, flames and sparks. Extremes of temperature and direct sunlight.

Sigma-Aldrich - P6148 Page 5 of 9

10.5 Incompatible materials

Brass, Steel (all types and surface treatments), Copper, Acid anhydrides, Strong oxidizing agents, Strong reducing agents

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 592 mg/kg

LC50 Inhalation - Rat - 4 h - 1,070 mg/m3

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Lacrimation. Lungs, Thorax, or Respiration: Dyspnea.

LDLO Dermal - Rat - 10,000 mg/kg

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Severe eye irritation

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

Formaldehyde, the decomposition product of paraformaldehyde, has been listed as a carcinogen by NTP and IARC.

Limited evidence of carcinogenicity in animal studies

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Sigma-Aldrich - P6148 Page 6 of 9

Additional Information

RTECS: RV0540000

May cause permanent eye injury.

Liver - Irregularities - Based on Human Evidence Liver - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 42 mg/l - 24 h

other aquatic invertebrates

12.2 Persistence and degradability

No data available

Ratio BOD/ThBOD 37 %

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 2213 Class: 4.1 Packing group: III

Proper shipping name: Paraformaldehyde Reportable Quantity (RQ): 1000 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN number: 2213 Class: 4.1 Packing group: III EMS-No: F-A, S-G

Proper shipping name: PARAFORMALDEHYDE

Marine pollutant: No

IATA

UN number: 2213 Class: 4.1 Packing group: III

Proper shipping name: Paraformaldehyde

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Sigma-Aldrich - P6148 Page 7 of 9

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Paraformaldehyde CAS-No. Revision Date 2007-03-01

Pennsylvania Right To Know Components

Paraformaldehyde CAS-No. Revision Date 2007-03-01

New Jersey Right To Know Components

Paraformaldehyde CAS-No. Revision Date 2007-03-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity

Carc. Carcinogenicity
Eye Dam. Serious eye damage
Flam. Sol. Flammable solids
H228 Flammable solid.
H302 Harmful if swallowed.

H302 + H332 Harmful if swallowed or if inhaled

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

HMIS Rating

Health hazard: 2
Chronic Health Hazard: *
Flammability: 2
Physical Hazard 2

NFPA Rating

Health hazard: 2
Fire Hazard: 2
Reactivity Hazard: 2

Further information

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - P6148 Page 8 of 9

Preparation Information Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.13 Revision Date: 08/13/2014 Print Date: 09/09/2014

Sigma-Aldrich - P6148 Page 9 of 9