# SIGMA-ALDRICH

## **Material Safety Data Sheet**

Version 4.0 Revision Date 12/24/2012 Print Date 09/08/2014

1. PRODUCT AND COMPANY II	DENT	IFICATION
Product name	:	2-Pentanone
Product Number Brand	:	537748 Sigma-Aldrich
Supplier	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
Telephone	:	+1 800-325-5832
Fax	:	+1 800-325-5052
Emergency Phone # (For both supplier and manufacturer)	:	(314) 776-6555
Preparation Information	:	Sigma-Aldrich Corporation Product Safety - Americas Region 1-800-521-8956

## 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

#### **OSHA Hazards**

Flammable liquid, Target Organ Effect, Highly toxic by inhalation, Harmful by ingestion., Irritant, Carcinogen

#### **Target Organs**

Nerves., Liver, Heart

#### **GHS Classification**

Flammable liquids (Category 2) Acute toxicity, Oral (Category 4) Skin irritation (Category 2) Eye irritation (Category 2A) Specific target organ toxicity - single exposure (Category 3)

#### GHS Label elements, including precautionary statements

Pictogram



Signal word	Danger
Hazard statement	(s)
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
Precautionary stat	ement(s)
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

present and easy to do. Continue rinsing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

IMIS	Classification	

P305 + P351 + P338

F

Health hazard: Chronic Health Hazard:	3
Flammability:	3
Physical hazards:	0
NFPA Rating	
Health hazard:	2
Fire:	3
Reactivity Hazard:	0
Potential Health Effects	
Inhalation	May be fatal if inhaled. Causes respiratory tract irritation.

Harmful if absorbed through skin. Causes skin irritation. Causes eve irritation.

Eyes	Causes eye irritation.
Ingestion	Harmful if swallowed.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Synonyms	: Methyl propyl ketone		
Formula	: C <sub>5</sub> H <sub>10</sub> O		
Molecular Weight	: 86.13 g/mol		
Component		Classification	Concentration
Pentan-2-one			
CAS-No. EC-No.	107-87-9 203-528-1	Flam. Liq. 2; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; H225, H302, H315, H319, H335	-
4-Methylpentan-2-one			
CAS-No.	108-10-1	Flam. Liq. 2; Acute Tox. 4; Eye	10 - 30 %
EC-No.	203-550-1	Irrit. 2; STOT SE 3; H225,	
Index-No.	606-004-00-4	H319, H332, H335, EUH066	

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

## **4. FIRST AID MEASURES**

Skin

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## **5. FIREFIGHTING MEASURES**

#### Conditions of flammability

Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

#### **Further information**

Use water spray to cool unopened containers.

#### 6. ACCIDENTAL RELEASE MEASURES

#### **Personal precautions**

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

#### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

#### Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Store under inert gas.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Pentan-2-one	107-87-9	STEL	150 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	200 ppm 700 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		STEL	250 ppm 875 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	200 ppm 700 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	150 ppm 530 mg/m3	USA. NIOSH Recommended Exposure Limits
4-Methylpentan- 2-one	108-10-1	TWA	50 ppm 205 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		STEL	75 ppm	USA. ACGIH Threshold Limit Values (TLV)
Remarks		Exposure	Index or Indices (s	the Dizziness 2010 Adoption Substances for which there is ee BEI® section) Confirmed animal carcinogen with
		TWA	50 ppm 205 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		STEL	75 ppm 300 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000

	TWA	100 ppm 410 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
The value in	mg/m3 is	approximate.	
	TWA	20 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Exposure	Index or Indices (s	the Dizziness 2010 Adoption Substances for which there is ee BEI® section) Confirmed animal carcinogen with
	TWA	50 ppm 205 mg/m3	USA. NIOSH Recommended Exposure Limits
	ST	75 ppm 300 mg/m3	USA. NIOSH Recommended Exposure Limits

#### Personal protective equipment

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin and body protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Appearance

	Form	liquid
	Colour	no data available
Sa	ifety data	
	рН	no data available
	Melting point/freezing point	Melting point/range: -78 °C (-108 °F)
	Boiling point	101 - 105 °C (214 - 221 °F) at 1,013 hPa (760 mmHg)
	Flash point	12 °C (54 °F) - closed cup
	Ignition temperature	no data available
	Auto-ignition temperature	505 °C (941 °F)
	Lower explosion limit	1.5 %(V)
	Upper explosion limit	8.2 %(V)
	Vapour pressure	36 hPa (27 mmHg) at 20 °C (68 °F)

Density	0.806 g/cm3
Water solubility	no data available
Partition coefficient: n-octanol/water	no data available
Relative vapor density	no data available
Odour	no data available
Odour Threshold	no data available
Evaporation rate	no data available

## **10. STABILITY AND REACTIVITY**

#### Chemical stability

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

Vapours may form explosive mixture with air.

#### Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

#### Materials to avoid Strong bases, Oxidizing agents, Reducing agents

## Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - no data available

## **11. TOXICOLOGICAL INFORMATION**

#### Acute toxicity

Oral LD50 Inhalation LC50 Dermal LD50 no data available

Other information on acute toxicity no data available

Skin corrosion/irritation no data available

**Serious eye damage/eye irritation** Eyes: no data available

Respiratory or skin sensitization no data available

## Germ cell mutagenicity

no data available

#### Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **Reproductive toxicity**

## Teratogenicity

#### no data available

## Specific target organ toxicity - single exposure (Globally Harmonized System) no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System) no data available

Aspiration hazard no data available

#### Potential health effects

Inhalation	May be fatal if inhaled. Causes respiratory tract irritation.
Ingestion	Harmful if swallowed.
Skin	Harmful if absorbed through skin. Causes skin irritation.
Eyes	Causes eye irritation.

#### Signs and Symptoms of Exposure

Lowered blood pressure, Central nervous system depression, narcosis, Nausea, Dizziness, Headache, Exposure to and/or consumption of alcohol may increase toxic effects.

Synergistic effects

no data available

Additional Information RTECS: Not available

## **12. ECOLOGICAL INFORMATION**

#### Toxicity

no data available

Persistence and degradability no data available

**Bioaccumulative potential** no data available

Mobility in soil no data available

#### PBT and vPvB assessment

no data available

#### Other adverse effects

no data available

## **13. DISPOSAL CONSIDERATIONS**

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### Contaminated packaging

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

DOT (US) UN number: 1249 Class: 3

Proper shipping name: Methyl propyl ketone
Marine Pollutant: No
Poison Inhalation Hazard: No

## IMDG

UN number: 1249 Class: 3 Packing group: II Proper shipping name: METHYL PROPYL KETONE Marine Pollutant: No

#### ΙΑΤΑ

UN number: 1249 Class: 3 Packing group: II Proper shipping name: Methyl propyl ketone

## **15. REGULATORY INFORMATION**

#### **OSHA Hazards**

Flammable liquid, Target Organ Effect, Highly toxic by inhalation, Harmful by ingestion., Irritant, Carcinogen

## SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

EMS-No: F-E, S-D

#### SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

4-Methylpentan-2-one	CAS-No. 108-10-1	Revision Date 1993-04-24
SARA 311/312 Hazards Fire Hazard, Acute Health Hazard, Chronic Health Hazard		
Massachusetts Right To Know Components		
Pentan-2-one 4-Methylpentan-2-one	CAS-No. 107-87-9 108-10-1	Revision Date 1991-07-01 1993-04-24
Pennsylvania Right To Know Components		
Pentan-2-one 4-Methylpentan-2-one	CAS-No. 107-87-9 108-10-1	Revision Date 1991-07-01 1993-04-24
New Jersey Right To Know Components		
Pentan-2-one 4-Methylpentan-2-one	CAS-No. 107-87-9 108-10-1	Revision Date 1991-07-01 1993-04-24

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **16. OTHER INFORMATION**

#### Text of H-code(s) and R-phrase(s) mentioned in Section 3

Acute Tox.	Acute toxicity
EUH066	Repeated exposure may cause skin dryness or cracking.
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquids
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
Skin Irrit.	Skin irritation
STOT SE	Specific target organ toxicity - single exposure

#### **Further information**

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.