

| H.M.I.S. |   |
|----------|---|
| н-       | 1 |
| F -      | 0 |
| R -      | 0 |
| P.P.     | А |

PERCENT

10 - 20

10 - 20

60 - 80

NO

NO

NO

# AST-PPD<sup>™</sup>

# **PLUMBERS Pipe DOPE**

STOCK # ('S): 25104, 25108, 25118, 25125, 25126, 25130, 25150 MATERIAL SAFETY DATA SHEET

Section 1- Chemical Product and Company Identification

Manufacture: Anti-Seize Technology

2345 N. 17<sup>th</sup> Ave.

Franklin Park, IL 60131

Phone: 847-455-2300

Emergency Phone, 24 hr: Infotrac @ 1-800-535-5053 or 352-323-3500

64742-52-5

1332-58-7

1317-65-3

#### Section 2-Composition/ Information on Ingredients CAS # OSHA PEL, TLV SARA III PROP 65,

| PETROLEUM OIL     |
|-------------------|
| KAOLIN CLAY       |
| CALCIUM CARBONATE |

| OSHA PEL, | TLV  | SARA II |
|-----------|------|---------|
| 5mg/m3    | SAME | NO      |
| 15mg/m3   | SAME | NO      |
| 15mg/m3   | SAME | NO      |
|           |      |         |

## **Section 3- Hazard Identification**

ROUTES OF ENTRY: \_\_\_\_\_ SKIN \_\_\_\_\_ EYES \_\_\_\_\_ INHALATION \_\_\_\_\_ INGESTION HEALTH HAZARDS: THIS PRODUCT IS NON-TOXIC AND IS NOT EXPECTED TO CAUSE ANY ADVERSE HEALTH REACTIONS

#### Section 4 – First Aid Measures

**SKIN**: WASH WITH SOAP AND WATER, USING A NAIL BRUSH. PAY PARTICULAR ATTENTION TO FINGER NAILS AND OPEN WOUNDS.

**EYES:** UNLIKELY, IF WIPED IN EYES, FLUSH WITH WATER FOR 15 MINUTES **INGESTION:** IF INGESTED THIS PRODUCT IS NOT EXPECTED TO CAUSE AN ACUTE REACTION. **INHALATION:** NOT LIKELY UNDER NORMAL CONDITIONS OF USE. .

CHEMICAL ('S) LISTED AS CARCINOGENS

NPT? <u>NO</u> I.A.R.C. ? : <u>NO</u> OSHA? : <u>NO</u>

#### Section 5 – Fire Fighting Measures

FLASH POINT AND METHOD USED: DOES NOT APPLY

FLAMMABLE LIMITS: LEL: UEL:

EXTINGUISHING MEDIA: FOAM, CO2, DRY CHEMICAL SPECIAL FIRE FIGHTING PROCEDURES: THIS COMPOUND WILL NOT BURN UNLESS IT IS PRE-HEATED. WATER FOG MAY BE USED TO COOL THE CONTAINERS BUT DO NOT SPRAY DIRECTLY INTO LARGE CONTAINERS OF BURNING LIQUIDS AS FROTHING MAY OCCUR. WEAR A "N.I.O.S.H." APPROVED ORGANIC VAPOR RESPIRATOR.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** DENSE SMOKE AND NOXIOUS OR TOXIC FUMES MAY BE GENERATED IN A FIRE. FIRE FIGHTERS SHOULD WEAR A SELF CONTAINED BREATHING APPARATUS.

# Section 6 – Accidental Release Measures

SPILL/ LEAKAGE PROCEDURES: THE VISCOUS NATURE OF THIS PRODUCT MAKES SPILLS UNLIKELY. SCOOP UP THE MATERIAL AND RETURN TO ITS ORIGINAL CONTAINER, OR USE AN OIL ABSORBENT MATERIAL AND DISPOSE OF PROPERLY.

## Section 7 – Handling and Storage

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: STORE IN CLOSED CONTAINERS AWAY FROM INTENSE HEAT OR OPEN FLAMES.

OTHER PRECAUTIONS: DO NOT TRANSFER TO UNMARKED CONTAINERS. KEEP AWAY FROM CHILDREN

#### Section 8 – Exposure Controls / Personal Protection

**RESPIRATORY PROTECTION:** NORMALLY NOT REQUIRED. **PROTECTIVE GLOVES:** NORMALLY NOT REQUIRED UNLESS PROLONGED OR REPEATED SKIN CONTACT IS EXPECTED, AND THEN USE LATEX OR NEOPRENE GLOVES. **EYE PROTECTION:** SAFETY GLASSES ARE RECOMMENDED. **WORK/HYGIENIC PRACTICES:** USE GOOD STANDARD PRACTICES WHEN USING THIS MATERIAL. THOROUGHLY WASH WITH

WORK/HYGIENIC PRACTICES: USE GOOD STANDARD PRACTICES WHEN USING THIS MATERIAL. THOROUGHLY WASH WITH SOAP AND WATER, USING A NAIL BRUSH AFTER USING.

#### Section 9 – Physical and Chemical Properties

BOILING POINT: 400 F. MELTING POINT: DOES NOT APPLY VAPOR PRESSURE: DOES NOT APPLY EVAPORATION RATE: DOES NOT APPLY VOC CONTENT: 21g/L APPEARANCE AND ODOR: TAN COLORED PUTTY, SLIGHT ODOR SOLUBILITY IN WATER: < 5% REACTIVITY IN WATER: NONE SPECIFIC GRAVITY: 1.8 RoHS Compliant: YES PERCENT VOLATILE: 0

#### Section 10 – Stability and Reactivity

**STABILITY**: (X) STABLE () UNSTABLE **INCOMPATIBILITY**, **(MATERIALS TO AVOID)**: NONE REASONABLY FORESEEN **HAZARDOUS DECOMPOSITION PRODUCTS**: THE THERMAL DECOMPOSITION PRODUCTS ARE HIGHLY DEPENDENT UPON THE COMBUSTION CONDITIONS. NOXIOUS OR TOXIC FUMES MAY BE GENERATED, SOME OF WHICH MAY BE TOXIC OR IRRITATING. **HAZARDOUS POLYMERIZATION**: WILL NOT OCCUR

#### Section 11 – Toxicological Information

SEE SECTION 2 FOR ADDITIONAL INFORMATION AND EXPOSURE LIMITS

KAOLIN CLAY AND CALCIUM CARBONATE CAN CONTAIN TRACE AMOUNTS OF CRYSTALLINE SILICA, (< 0.5%) WHICH COULD BE CONSIDERED A HEALTH HAZARD IF INHALED, HOWEVER, THIS PRODUCT IS A LIQUID AND THEREFORE CAN NOT DUST, THEREBY MINIMIZING ANY HEALTH HAZARD TO THE USER.

#### Section 12 – Ecological Information

NO ADDITIONAL INFORMATION IS AVAILABLE. THIS PRODUCT IS NOT EXPECTED TO BIOACCUMULATE.

#### Section 13 – Disposal Consideration

WASTE DISPOSAL: DISPOSE OF IN A RESPONSIBLE MANNER. FOLLOW LOCAL, STATE AND FEDERAL GUIDELINES. DO NOT DISCHARGE INTO SEWERS OR WATERWAYS. INCINERATION IS THE PREFERRED METHOD OF DISPOSAL, ALTHOUGH IT MAY BE LANDFILLED AT AN APPROVED FACILITY.

#### Section 14- Transport Information

TRANSPORTATION BY LAND (49CFR); NOT REGULATED

TRANSPORTATION BY AIR (ICAO/IATA): NOT REGULATED

TRANSPORTATION BY SHIP (IMO/IMDG): NOT REGULATED WHMIS: NOT REGULATED.

# Section 15 – Regulatory Information

CALIFORNIA PROPOSITION 65: NO Ozone depleting substances: None Sara Title III: No Cercla: No RCRA: NO DOT SHIPPING CLASS: NOT HAZARDOUS TASCA INVENTORY: ALL INGREDIENTS LISTED NFPA RATING: H-0, F-0, R-0

#### Section 16 – Other Information:

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE, HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THE DATA OR THE RESULTS OBTAINED FROM THE USE OF HIS PRODUCT. THEREFORE, BECAUSE THE PRODUCT MAY BE USED UNDER CONDITIONS BEYOND OUR CONTROL, WE ASSUME NO LIABILITY FOR ITS USE.

#### DATE:04/20/2012

## AST-PPD, 16 PART ISO MSDS