

EASTMAN KODAK COMPANY -- PRINT FLATTENING SOLUTION (NSN CANCELLED)
-- 6750-00-998-2066

=====
Product Identification
=====

Product ID:PRINT FLATTENING SOLUTION (NSN CANCELLED)
MSDS Date:10/08/1975
FSC:6750
NIIN:00-998-2066
MSDS Number: BGCLQ
=== Responsible Party ===
Company Name:EASTMAN KODAK COMPANY
Address:343 STATE STREET
City:ROCHESTER
State:NY
ZIP:14650
Country:US
Info Phone Num:716-722-5151
Emergency Phone Num:716-722-5151
CAGE:19139

==== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS
Address:343 STATE ST
Box:City:ROCHESTER
State:NY
ZIP:14650-1115
Country:US
Phone:716-722-5151/(800) 242-2424
CAGE:19139

=====
Composition/Information on Ingredients
=====

Ingrid Name:NON-AQUEOUS SOLUTION, HAZARD UNKNOWN, UNIDENTIFIED
Fraction by Wt: 100%

=====
Hazards Identification
=====

Effects of Overexposure:MSDS FM MFR STATES THAT EFFECTS OF OVEREXPOSURE
ARE OF LOW HAZARD TO HEALTH.

=====
First Aid Measures
=====

First Aid:PER MFR MSDS, "NONE INDICATED";HOWEVER, FLUSH W/LG AMT OF WATER
IN CASE OF SKIN/EYE CONTACT.GET MED ATTN IF NEEDED OR SYMPTOMS
OCCUR.

=====
Fire Fighting Measures
=====

Flash Point:207F-CC
Lower Limits:2.6%
Upper Limits:12.5
Extinguishing Media:CO*2, FOAM, DRY CHEM
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS.

=====
Accidental Release Measures
=====

Spill Release Procedures:EVACUATE UNPROTECTED PERSONS, PROVIDE

VENTILATION/SAFETY EQUIPMENT IF NECESSARY. DIKE LG SPILL & PUMP INTO COVERED CONTNRS; ABSORB SM SPILL W/ ABSORBING MATL & PLACE IN SAME CONTNR; MFR SUGGESTS FLUSH DOWN TO SEWER W/LG AMT OF H*2O IAW EXISTING REGS.

=====
===== Handling and Storage =====

Handling and Storage Precautions: STORE IN COOL, DRY, WELL VENTILATED AREA. KEEP CONTNRS TIGHTLY CLOSED. PROTECT CONTNRS FROM PHYSICAL DAMAGE.

Other Precautions: AVOID PROLONGED/REPEATED CONTACT W/PRODUCT. REMOVE & WASH CONTAMINATED CLOTHING. WASH HANDS AFTER USE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection: NONE REQD IN NORMAL CONDITIONS.

Ventilation: MECHANICAL (GEN) IF NEEDED

Protective Gloves: IMPERVIOUS

Eye Protection: SAFETY GLASSES

Other Protective Equipment: AS NEEDED BY LOCAL AUTHORITIES.

Supplemental Safety and Health

EFFECTIVE 16 JAN 85, NSN WAS CANCELLED WITH NO REPLACEMENT; CATALOG NO OF 8 OZ BOTTLE NOT KNOWN.

=====
===== Physical/Chemical Properties =====

HCC: N1

Boiling Pt: B.P. Text: >350F

Vapor Pres: .19

Vapor Density: 2.5

Spec Gravity: 1.05

Solubility in Water: COMPLETE

Appearance and Odor: COLORLESS LIQUID, VERY SLIGHT ODOR.

Percent Volatiles by Volume: 1%

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

PER MFR: NONE

=====
===== Disposal Considerations =====

Waste Disposal Methods: KEEP IN COVERED CONTAINERS PENDING

DISPOSAL. DISPOSE IN FULL COMPLIANCE W/ FEDERAL, STATE & LOCAL REGULATIONS; MFR RECOMMENDS TO FLUSH DOWN TO SEWER W/ COPIOUS AMT H*2O. STATE & LOCAL EFFLUENT LAWS TAKE PRECEDENCE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.