# SAFETY DATA SHEET

Version 5.2 Revision Date 07/14/2014 Print Date 09/08/2014

## 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Pyridine

Product Number : 270970
Brand : Sigma-Aldrich
Index-No. : 613-002-00-7

CAS-No. : 110-86-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

# 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312

Skin irritation (Category 2), H315
Eye irritation (Category 2A), H319
Acute aquatic toxicity (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.

H302 + H312 + H332 Harmful if swallowed. in contact with skin or if inhaled

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H402 Harmful to aquatic life.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Sigma-Aldrich - 270970 Page 1 of 9

Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.
IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.
IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Call a POISON CENTER or doctor/ physician if you feel unwell.
Specific measures (see supplemental first aid instructions on this label).
Rinse mouth.
If skin irritation occurs: Get medical advice/ attention.
If eye irritation persists: Get medical advice/ attention.
Take off contaminated clothing and wash before reuse.
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
Store in a well-ventilated place. Keep cool.
Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1 Substances

**Hazardous components** 

Component	Classification	Concentration				
Pyridine						
	Flam. Liq. 2; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A; Aquatic Acute 3; H225, H302 + H312 + H332, H315, H319, H402	90 - 100 %				

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

# **General advice**

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Sigma-Aldrich - 270970 Page 2 of 9

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

no data available

#### 5. FIREFIGHTING MEASURES

## 5.1 Extinguishing media

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides, nitrogen oxides (NOx)

# 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

## 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

## 6.4 Reference to other sections

For disposal see section 13.

#### 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Handle and store under inert gas.

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Sigma-Aldrich - 270970 Page 3 of 9

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Components with workplace control parameters

0	I O A O A I	117-1	0	D '.	
Component	CAS-No.	Value	Control	Basis	
			parameters		
Pyridine	110-86-1	TWA	1 ppm	USA. ACGIH Threshold Limit Values	
,				(TLV)	
	Remarks	Liver & kidney damage			
		Skin irritation Confirmed animal carcinogen with unknown relevance to humans			
		TWA	5 ppm	USA. NIOSH Recommended	
			15 mg/m3	Exposure Limits	
		TWA	5 ppm	USA. Occupational Exposure Limits	
			15 mg/m3	(OSHA) - Table Z-1 Limits for Air	
				Contaminants	
		The value in mg/m3 is approximate.			
		TWA	5 ppm	USA. OSHA - TABLE Z-1 Limits for	
			15 mg/m3	Air Contaminants - 1910.1000	

# 8.2 Exposure controls

# Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 219 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Sigma-Aldrich - 270970 Page 4 of 9

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Colour: colourless

b) Odour unpleasant

c) Odour Threshold no data available

d) pH 8.5 at 15.82 g/l at 25 °C (77 °F)

e) Melting point/freezing

point

Melting point/range: -42 °C (-44 °F) - lit.

f) Initial boiling point and

boiling range

115 °C (239 °F) - lit.

g) Flash point 17.0 °C (62.6 °F) - closed cup

h) Evapouration rate no data availablei) Flammability (solid, gas) no data available

j) Upper/lower Up flammability or Lo explosive limits

Upper explosion limit: 12.4 %(V) Lower explosion limit: 1.8 %(V)

k) Vapour pressure

13.3 hPa (10.0 mmHg) at 13.2 °C (55.8 °F) 26.7 hPa (20.0 mmHg) at 25.0 °C (77.0 °F)

I) Vapour density no data available

m) Relative density 0.978 g/cm3 at 25 °C (77 °F)

n) Water solubility soluble

o) Partition coefficient: n-

octanol/water

log Pow: 0.65

p) Auto-ignition temperature

482.0 °C (899.6 °F)

q) Decomposition

temperature

no data available

r) Viscosity

no data available no data available

t) Oxidizing properties

Explosive properties

no data available

## 9.2 Other safety information

no data available

# 10. STABILITY AND REACTIVITY

# 10.1 Reactivity

s)

no data available

# 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

# 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

## 10.5 Incompatible materials

Strong oxidizing agents, Strong acids

Sigma-Aldrich - 270970 Page 5 of 9

# 10.6 Hazardous decomposition products

Other decomposition products - no data available

In the event of fire: see section 5

## 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - rat - 891.0 mg/kg

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Ptosis. Behavioral:Somnolence (general depressed activity). Behavioral:Coma.

LC50 Inhalation - rat - 1 h - 28,500 mg/m3

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Lacrimation. Behavioral:Somnolence (general depressed activity). Lungs, Thorax, or Respiration:Dyspnea.

LD50 Dermal - rabbit - 1,121 mg/kg

Remarks: Behavioral:Ataxia. Gastrointestinal:Changes in structure or function of salivary glands. Liver:Other changes.

no data available

#### Skin corrosion/irritation

Skin - rabbit

Result: Mild skin irritation - 24 h

(Draize Test)

# Serious eye damage/eye irritation

no data available

# Respiratory or skin sensitisation

no data available

# Germ cell mutagenicity

no data available

## Carcinogenicity

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Pyridine)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

#### Reproductive toxicity

no data available

no data available

# Specific target organ toxicity - single exposure

no data available

# Specific target organ toxicity - repeated exposure

no data available

## **Aspiration hazard**

no data available

# **Additional Information**

RTECS: UR8400000

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Dizziness, tachycardia, nervousness, insomnia, Skin disorders, loss of appetite

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Bone marrow -

Sigma-Aldrich - 270970 Page 6 of 9

# 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 93.80 mg/l - 96 h

LC50 - Cyprinus carpio (Carp) - 26.00 mg/l - 96 h

Toxicity to daphnia and

other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 940.00 mg/l - 48 h

EC50 - Daphnia magna (Water flea) - 1,140.00 mg/l - 48 h

EC50 - Daphnia pulex (Water flea) - 520.00 mg/l - 48 h

Toxicity to algae EC50 - SELENASTRUM - 100.00 - 180.00 mg/l - 72 h

# 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 97 % - Readily biodegradable.

#### 12.3 Bioaccumulative potential

no data available

# 12.4 Mobility in soil

no data available

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.

# 13. DISPOSAL CONSIDERATIONS

## 13.1 Waste treatment methods

#### **Product**

Contact a licensed professional waste disposal service to dispose of this material. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Packing group: II

#### Contaminated packaging

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1282 Class: 3

Proper shipping name: Pyridine Reportable Quantity (RQ): 1000 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1282 Class: 3 Packing group: II EMS-No: F-E, S-D

Proper shipping name: PYRIDINE

Marine pollutant: No

**IATA** 

UN number: 1282 Class: 3 Packing group: II

Proper shipping name: Pyridine

# **15. REGULATORY INFORMATION**

# **SARA 302 Components**

Sigma-Aldrich - 270970 Page 7 of 9

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components** 

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date

Pyridine 110-86-1 2007-07-01

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

**Massachusetts Right To Know Components** 

CAS-No. Revision Date Pyridine 110-86-1 2007-07-01

Pennsylvania Right To Know Components

CAS-No. Revision Date
Pyridine 110-86-1 2007-07-01

**New Jersey Right To Know Components** 

Pvridine CAS-No. Revision Date 110-86-1 2007-07-01

California Prop. 65 Components

WARNING! This product contains a chemical known to the CAS-No. Revision Date State of California to cause cancer. 110-86-1 2007-09-28

Pyridine

#### 16. OTHER INFORMATION

#### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Eye Irrit. Eye irritation Flam. Liq. Flammable liquids

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H302 + H312 + Harmful if swallowed, in contact with skin or if inhaled

H332

H312 Harmful in contact with skin.

H315 Causes skin irritation.

**HMIS Rating** 

Health hazard: 2
Chronic Health Hazard:
Flammability: 3
Physical Hazard 0

**NFPA Rating** 

Health hazard: 2
Fire Hazard: 3
Reactivity Hazard: 0

# **Further information**

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - 270970 Page 8 of 9

Preparation Information Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Revision Date: 07/14/2014 Print Date: 09/08/2014 Version: 5.2

Sigma-Aldrich - 270970 Page 9 of 9