

MATERIAL SAFETY DATA SHEET

MSDS 0260

=====
Section 1 -- PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME	Pyroseal	HMIS CODES	
		Health	1
		Flammability	0
		Reactivity	0
PRODUCT CODES	68612, 68614, 68616, 68618, 68620	PPI	B
CHEMICAL FAMILY	Inorganic		
USE	Dual Purpose Retort & Furnace Cement		
MANUFACTURER'S NAME	The RectorSeal Corporation	EMERGENCY TELEPHONE NO.	
	2601 Spenwick Drive	Chemtrec 24 Hours	
	Houston, Texas 77055 USA	(800)424-9300 USA	
		001-527-3887 International	
DATE OF VALIDATION	August 20, 2012	TECHNICAL SERVICE TELEPHONE NO.	
DATE OF PREPARATION	August 20, 2012	(800)231-3345 or (713)263-8001	

=====
Section 2 -- HAZARDS IDENTIFICATION

GHS CLASSIFICATION

PHYSICAL HAZARDS: None

HEALTH HAZARDS

Acute Toxicity:

Oral: Not Classified

Dermal: Not Classified

Inhalation: Not Classified

Skin Corrosion/Irritation: Not Classified

Serious Eye Damage/Eye Irritation: Not Classified

Respiratory or Skin Sensitization: Not Classified

Germ Cell Mutagenicity: Not Classified

Carcinogenicity: Not Classified

Reproductive Toxicology: Not Classified

Target Organ Systemic Toxicity - Single Exposure: Not Classified

Target Organ Systemic Toxicity - Repeated Exposure: Not Classified

Aspiration Toxicity: Not Classified

GHS Label elements, including precautionary statements

Pictogram: None

Signal Word: None

Hazard Statements: None

Precautionary Statements:

P102 - Keep out of reach of children.

P264 - Wash hands thoroughly after handling.

SUMMARY OF ACUTE HAZARDS

Exposure from dust may cause eye and respiratory irritation.

ROUTE OF EXPOSURE, SIGNS AND SYMPTOMS

INHALATION

May cause respiratory irritation.

EYE CONTACT

Contact may cause eye irritation.

SKIN CONTACT

Contact may cause skin irritation.

INGESTION

Possible irritation to mucous membranes of the mouth, throat, and stomach.

SUMMARY OF CHRONIC HAZARDS

None known.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

Persons with impaired pulmonary function and/or pre-existing eye or skin conditions may be more susceptible to the effects of this product.

Section 3 -- COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT: Sodium Silicate

PERCENTAGE BY WEIGHT: 15.77

CAS#: 1344-09-8

EC#: 229-912-9

INGREDIENT: Calcium Magnesium Silicate

PERCENTAGE BY WEIGHT: 25.42

CAS#: 13983-17-0

EC#: 237-772-5

Section 4 -- FIRST AID MEASURES

- If INHALED: Remove to fresh air. Administer oxygen or artificial respiration if needed. Seek immediate medical attention.
- If on SKIN: Wash with soap and water. If irritation occurs, seek medical attention.
- If in EYES: Immediately flush with large amounts of water. If irritation occurs, seek medical attention.
- If SWALLOWED: If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

Section 5 -- FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

Foam, dry chemical, carbon dioxide or water fog.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus (SCBA) and other protective clothing.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

Section 6 -- ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Wipe up spills to prevent footing hazard. Avoid flushing into sewers, drains, waterways and soil. Wear protective clothing during clean up.

Section 7 -- HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Keep container closed and upright when not in use.

OTHER PRECAUTIONS: Avoid prolonged or repeated contact with skin or clothing. KEEP OUT OF REACH OF CHILDREN.

Section 8 -- EXPOSURE CONTROLS/PERSONAL PROTECTION

INGREDIENT UNITS

Sodium Silicate

ACGIH TLV N/D

OSHA PEL N/D

Calcium Magnesium Silicate

ACGIH TLV N/D

OSHA PEL N/D

RESPIRATORY PROTECTION (SPECIFY TYPE): NIOSH/MSHA approved dust mask.

VENTILATION - LOCAL EXHAUST: Acceptable

SPECIAL: N/A

MECHANICAL (GENERAL): Preferable

OTHER: N/A

PROTECTIVE GLOVES: Wear rubber gloves.

EYE PROTECTION: Safety glasses (ANSI Z-87.1 or equivalent)

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls recommended.

WORK/HYGIENIC PRACTICES: Where use can result in skin contact, wash exposed areas thoroughly before eating, drinking, smoking, or leaving work area.

Launder contaminated clothing before reuse.

=====
Section 9 -- PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: N/A
SPECIFIC GRAVITY (H₂O = 1): 1.43
VAPOR PRESSURE (mm Hg): N/A
MELTING POINT: N/A
VAPOR DENSITY (AIR = 1): N/A
EVAPORATION RATE (ETHYL ACETATE = 1): N/A
APPEARANCE/ODOR: Gray / No Odor
SOLUBILITY IN WATER: Insoluble
FLASH POINT: None
LOWER EXPLOSION LIMIT: N/D
UPPER EXPLOSION LIMIT: N/D
VOLATILE ORGANIC COMPOUNDS(VOC)Content
(Theoretical Percentage By Weight): 0% or (0 g/L)

=====
Section 10 -- STABILITY AND REACTIVITY

STABILITY: Stable
CONDITIONS TO AVOID: None
INCOMPATIBILITY (MATERIALS TO AVOID): None known.
HAZARDOUS DECOMPOSITION PRODUCTS: None known.
HAZARDOUS POLYMERIZATION: Will not occur.

=====
Section 11 -- TOXICOLOGY INFORMATION

CHRONIC HEALTH HAZARDS

No ingredient in this product is an IARC, NTP or OSHA listed carcinogen.

TOXICOLOGY DATA

Ingredient Name

Sodium Silicate

Oral-Rat LD50:2000-3000 mg/kg

Inhalation-Rat:N/D

Calcium Magnesium Silicate

Oral-Rat LD50:N/D

Inhalation-Rat:N/D

=====
Section 12 -- Ecological Information

ECOLOGICAL DATA

Ingredient Name

Sodium Silicate

Food Chain Concentration Potential N/D

Waterfowl Toxicity N/D

BOD N/D

Aquatic Toxicity N/D

Calcium Magnesium Silicate

Food Chain Concentration Potential N/D

Waterfowl Toxicity N/D

BOD N/D

Aquatic Toxicity N/D

=====
Section 13 -- DISPOSAL CONSIDERATIONS

Waste Classification: Non-regulated solid waste
Disposal Method: Approved landfill
Waste from this product is not considered hazardous as defined under the
Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Dispose of in
accordance with Federal, State, and Local regulation regarding pollution.
=====

Section 14 -- TRANSPORTATION INFORMATION

DOT: Non-Regulated
OCEAN (IMDG): Non-Regulated
AIR (IATA): Non-Regulated
WHMIS (CANADA): Non-Regulated
=====

Section 15 -- REGULATORY INFORMATION

REGULATORY DATA
Ingredient Name

Sodium Silicate

SARA 313	No
TSCA Inventory	Yes
CERCLA RQ	N/A
RCRA Code	N/A

Calcium Magnesium Silicate

SARA 313	No
TSCA Inventory	Yes
CERCLA RQ	N/A
RCRA Code	N/A

=====

Section 16 -- OTHER INFORMATION

This document is prepared pursuant to the OSHA Hazard Communication
Standard (29 CFR 1910.1200). The information herein is given in good faith,
but no warranty, expressed or implied is made. Consult RectorSeal for further
information: (713) 263-8001