

=====
Product Identification
=====

MSDS NAME: BENWOOD QUICK-DRY SANDING SEALER, CLEAR
NIIN: 00N003780
MSDS Number: BCKVL
=== Responsible Party ===
Company: BENJAMIN MOORE & COMPANY
Address: CHESTNUT RIDGE RD
City: MONTVALE
State: NJ
ZIP: 07645
Country: US
CAGE: 09585

==== Contractor Identification ===

Company: BENJAMIN MOORE & CO
Address: 51 CHESTNUT RIDGE RD
City: MONTVALE
State: NJ
ZIP: 07645
Country: US
Phone: 201-573-9600
CAGE: 09585
Company: BENJAMIN MOORE & CO
Address: 51 CHESTNUT RIDGE RD
Box: City: MONTVALE
State: NJ
ZIP: 07645
Country: US
Phone: 201-573-9600
CAGE: 91950

=====
Composition/Information on Ingredients
=====

Name: ETHYL BENZENE (SARA III)
CAS: 100-41-4
RTECS #: DA0700000
Fraction by Wt: 8%
OSHA PEL: 100 PPM/125 STEL
ACGIH TLV: 100 PPM/125 STEL 9192
EPA Rpt Qty: 1000 LBS
DOT Rpt Qty: 1000 LBS

Name: NAPHTA (PETROLEUM SPIRITS OR BENZIN)
CAS: 8030-30-6
RTECS #: DE3030000
Fraction by Wt: 54%
OSHA PEL: 100 PPM

=====
Hazards Identification
=====

Effects of Overexposure: SKIN/EYE: IRRITATION. VAPORS: RESP
IRRITATION, CNS EFFECT, ANESTHETIC

=====
First Aid Measures
=====

First Aid: INHALATION: REMOVE FROM EXPOSURE, GIVE ARTIF RESP IF
NEEDED, CALL PHYSICIAN, EYE: FLUSH WITH WATER 15 MINUTES, CONSULT

PHYSICIAN. SKIN: WASH WITH SOAP & WATER.

=====
===== Fire Fighting Measures =====

Flash Point:50F/10C (PMCC)
Extinguishing Media:FOAM, DRY CHEMICAL, CO*2, WATER SPRAY
Fire Fighting Procedures:WATER SPRAY TO COOL EXPOSED CONTAINERS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION,AVOID BREATHING VAPORS. USE NON-SPARKING TOOLS TO RETURN MATERIAL TO CONTAINER,ABSORB RESIDUE WITH FULLER'S EARTH.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, SPARKS & OPEN FLAMES. USE WITH ADEQUATE VENTILATION. CLOSE CONTAINER AFTER USE. AVOID SKIN CONTACT & BREATHING VAPOR OR SPRAY MIST
Other Precautions:KEEP OUT OF REACH OF CHILDREN.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED RESP DEVICE IN ACCORD WITH EXPOSURE OF CONCERN.
Ventilation:LOCAL.MECHANICAL - EXPLOSION PROOF MOTORS
Protective Gloves:REQUIRED
Eye Protection:SAFETY GLASSES
Other Protective Equipment:AS REQUIRED TO PREVENT SKIN CONTACT
Supplemental Safety and Health
MFR CODE: 411 00

=====
===== Physical/Chemical Properties =====

HCC:F3
Boiling Pt:B.P. Text:256F/124C
Vapor Density:>1
Evaporation Rate & Reference:<1 (ETHER)
Percent Volatiles by Volume:73

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
Hazardous Decomposition Products:CARBON DIOXIDE,CARBON MONOXIDE

=====
===== Disposal Considerations =====

Waste Disposal Methods:COMPLY WITH LOCAL, STATE & FEDERAL REGULATIONS. DO NOT INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.

*** END OF RECORD ***