MINWAX COMPANY, INC. -- WOOD FINISH RED MAHOGANY 225 -- 8010-00-161-7264

======== Product Identification ============ Product ID: WOOD FINISH RED MAHOGANY 225 MSDS Date:10/23/1984 FSC:8010 NIIN:00-161-7264 MSDS Number: BKZWT === Responsible Party === Company Name: MINWAX COMPANY, INC. Address:102 CHESTNUT RIDGE PLAZA City: MONTVALE State:NJ ZIP:97645 Country: US Info Phone Num: 201-391-0253 Emergency Phone Num: 201-391-0253 CAGE: MINWA === Contractor Identification === Company Name: MINWAX COMPANY, INC. Address:102 CHESTNUT RIDGE PLAZA City: MONTVALE State:NJ ZIP:97645 Country: US Phone: 201-391-0253 CAGE: MINWA ====== Composition/Information on Ingredients ======== Ingred Name: PIGMENTS Fraction by Wt: 9% Other REC Limits: NONE SPECIFIED Ingred Name:VEHICLE Fraction by Wt: 10% Other REC Limits: NONE SPECIFIED Ingred Name:VM&P NAPHTHA (LIGROINE) CAS:8032-32-4 RTECS #:016180000 Fraction by Wt: 79% Other REC Limits: NONE SPECIFIED OSHA PEL:300 PPM/400 STEL ACGIH TLV:300 PPM; 9192 Ingred Name: ADDITIVES Fraction by Wt: 2% Other REC Limits: NONE SPECIFIED ======= Hazards Identification ============== Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic: HARMFUL OR FATAL IF SWALLOWED. CAUSES EYE AND SKIN IRRITATION, VAPORS MAY CAUSE HEADACHES, NAUSEA OR NERVOUS IRRITABILITY.

IMMEDIATELY. FOR EYE CONTACT: FLUSH WITH PLENTY OF WATER AND GET MEDICAL ATTENTION. FOR SKIN CONTACT: WASH THOROUGHLY WITH SOAP AND WATER. IF IRRITATI ON PERSISTS, GET MEDICAL ATTENTION. IF AFFECTED BY INHALATION, REMOVE TO FRESH AIR. ======== Fire Fighting Measures ============== Flash Point:105F,41C Lower Limits: 0.9 Upper Limits:6.0 Extinguishing Media: FOAM, CARBON DIOXIDE, DRY CHEMICAL, WATER MIST. Fire Fighting Procedures: WATER IS NOT NORMALLY AN EFFECTIVE EXTINGUISHING AGENT. Unusual Fire/Explosion Hazard: WHEN BURNING, THIS PRODUCT GIVES OFF TOXIC BY-PRODUCTS (SUCH AS CO), THEREFORE, BREATHING OF FUMES, SMOKE AND GASES GIVEN OFF DURING BURNING SHOULD BE AVOIDED. Spill Release Procedures: UTILIZE SAND OR RAGS TO CLEAN UP SPILLS. REMOVE IGNITION SOURCES FROM SPILL AREA. ======== Handling and Storage ============ Handling and Storage Precautions: DO NOT USE OR STORE NEAR HEAT, SPARKS, OPEN FLAME OR OTHER SOURCES OF IGNITION. REPLACE PLUG IN CAN SECURELY AFTER EACH USE. Other Precautions: USE IN WELL VENTILATED AREA. REMOVE CONTAMINATED CLOTHING IMMEDIATELY AND LAUNDER BEFORE REUSE. ====== Exposure Controls/Personal Protection ========= Respiratory Protection: SELF-CONTAINED ORGANIC VAPOR CANNISTER SYSTEM. Ventilation: AVOID BREATHING VAPORS OR SPRAY MIST. PROVIDE A CONSTANT FLOW OF FRESH AIR. Protective Gloves: RUBBER GLOVES. Eye Protection: SAFETY GLASSES. Other Protective Equipment: HAVE EYE BATH AND SAFETY SHOWER NEARBY DURING USE. Supplemental Safety and Health ======== Physical/Chemical Properties ========== HCC:F4 Boiling Pt:B.P. Text:313F,156C Vapor Density: 4.8 Spec Gravity: 6.9 LB/GL Solubility in Water:NIL Appearance and Odor: DARK REDISH MAROON LIQUID. Percent Volatiles by Volume:81 ======= Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products: INCOMPLETE COMBUSTION PRODUCES CARBON

First Aid: INGESTION: DO NOT INDUCE VOMITING. CALL PHYSICIAN

MONOXIDE.

======= Disposal Considerations ============

Waste Disposal Methods: IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATION. INCINERATION IS PREFERRED OR BY BURYING IN AN APPROVED LANDFILL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.