

# **Spartan Chemical Company, Inc. Material Safety Data Sheet**

#### SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label): Product Division:

SD-20 ALL PURPOSE CLEANER (BULK) Janitorial

Product Number: 0020

Spartan Chemical Company, Inc.

Product/Technical Information: 1-(800)-537-8990

1110 Spartan Drive

Medical Emergency:1-(888)-314-6171 (24 hours)

**Maumee OH 43537** 

Chemical Leak/Spil CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Cleaning compounds, liquid, n.o.s.

NFPA Ratings:		HMIS Ratings:	
Health:	2 - Moderate	Health:	2 - Moderate
Fire:	0 - Minimal	Fire:	0 - Minimal
Reactivity:	0 - Minimal	Reactivity:	0 - Minimal
		Pers. Prot. Equip.:	See Section VIII

### SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

				NTP,		
Chemical Name(s)	% W	CAS Registry No.	TWA mg/m <sup>3</sup>	STEL mg/m <sup>3</sup>	CELING mg/	IARC or OSHA Carcinogen
Sodium tripolyphosphate	5-10	7758-29-4	Not Established	Not Established	Not Established	No
Alkoxylated alkanolamine	1-5	61791-08-0	Not Established	Not Established	Not Established	No
Sodium dodecyl benzene sulfonate	1-5	25155-30-0	Not Established	Not Established	Not Established	No
Trisodium phosphate	1-5	7601-54-9	Not Established	Not Established	Not Established	No

MSDS Document for SD-20 ALL PURPOSE CLEANER (BULK)

Sodium xylene sulfonate	1-5	1300-72-7	Not	Not	Not	No
Socialit Aylene surronate	1 3	1300 72 7	Established	Established	Established	110

# SECTION III: PHYSICAL DATA

Boiling Point:	212 °F	Vapor Pressure:	Unknown
Vapor Density (AIR = 1):	Unknown	Solubility in Water:	Complete
pH:	11.0-11.5	Specific Gravity (H <sub>2</sub> O=1):	
Evaporation Rate (but.ace. =1):		Percent Solid by Weight:	
Physical State:	Liquid		

Appearance & Odor: Blue, citrus odor

# ▼ SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: > 212°1	7	Method Used:	ASTM-D56	
Flammable Limits: N/A		Flame Extension:	N/A	
Extinguishing Media: Product does surrounding fi		* *	stion. Use extinguishir	ng media appropriate for
Special Fire Fighting Wear NIOSH Procedures: Clothing. Cool		* *	0 11	-
Unusual Fire & Explosive Hazards:	Combustion p	products are toxic.		

# SECTION V: HEALTH HAZARD DATA

Threshold Limit Value:	Not Established	Primary Routes of Entry:	Skin Contact, Eyes and Oral	
Effects of Overexposure- Causes eye irritation: Symptoms may include pain, redness, swelling and				
Conditions to Avoid:	tearing			
	Cause skin irritation: Sym	ptoms may include pain,	redness and swelling.	
	May be harmful if swallowed: Symptoms may include nausea, vomiting, pain			
	and diarrhea.			
	<b>Inhalation of product mist may cause respiratory irritation:</b> Symptoms may			
	include coughing and difficulty breathing.			
	Avoid contact with eyes, skin or clothing. Do not taste or swallow. Avoid			
	breathing product mist. W			
Conditions Aggravated by	Use of this product may agg	ravate preexisting skin; e	eye; and respiratory	
Use:	disorders including asthma a	and fibrotic pulmonary di	sease.	

# **Emergency & First Aid Procedures:**

-	Flush eyes with water for at least 15 minutes. Remove contact lenses. Get medical attention.
	Remove contaminated clothing. Flush skin with water for at least 15 minutes. Get medical attention if irritation persists. Wash contaminated clothing before reuse
	Do not induce vomiting. Drink one or two glasses of water to dilute product. Get medical attention. Never give anything by mouth to an unconscious person.
	In case of respiratory irritation or dizziness; move person to fresh air. Get medical attention if irritation persists.

### SECTION VI: REACTIVITY DATA

Stability:	Stable	Incompatible Materials:	None known
Hazardous Decomposition Products:	′	Hazardous Polymerization:	Will Not Occur

# SECTION VII: SPILL OR LEAK PROCEDURES

Steps to be Taken in Case	Small spills of one gallon or less may be flushed with plenty of water to sanitary
Material is Released or	sewer system (If permitted by local sewer regulations). Dike and contain large
Spilled:	spills with inert material and transfer liquid to containers for recovery or disposal.
Waste Disposal Method:	Same as above

### SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection:	Not normally required when good general ventilation is provided. However if respiratory irritation occurs; the use of a NIOSH approved respirator suitable for the use-conditions and chemicals in Section II should be considered.
II .	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Rubber or other impervious gloves
Eye Protection(Specify Type):	Splash goggles are recommended to prevent eye contact.
Other Protective Equipment:	See 29 CFR 1910.132-138 for further guidance.

### SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing:	Keep out of reach of children
Other Precautions:	NA

© SCC 06/30/2005 SD-20 ALL PURPOSE Name: Effective

Ronald T. Cook 06/30/2005

Manager, Regulatory Affairs

CLEANER (BULK)

Date:

Γ. CookD05Title: Manager, RSupercedes: 01/20/2005

Ref: 29 CFR 1910.1200

Changes:

Correct Section IX

(OSHA)

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.